

Extensions

#24	<i>printer data file for 24 pin matrix printer (LocoScript)</i>
#IB	<i>printer data file (LocoScript)</i>
#SC	<i>printer data file (LocoScript)</i>
#ST	<i>standard mode printer definitions (LocoScript)</i>
\$\$\$	<i>fichier de sauvegarde des champs mémo dBase</i>
\$\$\$	<i>temporary file</i>
\$\$\$	<i>Programmer's File Editor backup file</i>
\$00	<i>DOS Pipe file</i>
\$DB	<i>dBASE IV temporary file</i>
\$ED	<i>MicroSoft C Editor temporary file</i>
\$O1	<i>DOS Pipe file</i>
\$VM	<i>Windows 3.x Virtual manager temporary file</i>
&&&	<i>Programmer's File Editor backup file</i>
000	<i>DoubleSpace compressed hard disk data</i>
001	<i>Ricoh Fax file</i>
001	<i>SmartFax file</i>
075	<i>Ventura Publisher 75x75 dpi display font</i>
085	<i>Ventura Publisher 85x85 dpi display font</i>
091	<i>Ventura Publisher 91x91 dpi display font</i>
096	<i>Ventura Publisher 96x96 dpi display font</i>
0B	<i>PageMaker Printer font with lineDraw extended character set</i>
1	<i>Roff/nroff/troff/groff source for manual page</i>
15U	<i>PageMaker Printer font with PI font set</i>
123	<i>classeur OpenOffice</i>
1ST	<i>première version d'installation</i>
286	<i>system file</i>
2GR	
301	<i>Brooktrout 301 file</i>
301	<i>Fax (Super FAX 2000 - Fax-Mail 96)</i>
32	<i>Raw Yamaha DX7 32-voice data</i>
323	<i>téléphonie InterNet H.323</i>
386	<i>Intel 80386 processor driver (pilote de périphérique virtuel MicroSoft Windows 3.x)</i>
386	<i>swap file</i>
3DS	<i>3D-Studio graphics file</i>
3FX	<i>CorelChart Effect</i>
3G2	<i>3GPP project 2 file</i>
3GP	<i>3GPP video file (fichier vidéo)</i>
3GR	<i>Windows Video Grabber data file</i>
3T4	<i>Util3 binary file converter to ASCII</i>
404	<i>Muon DS404 bank or patch file</i>
4BT	<i>GoDot file</i>
4C\$	<i>4Cast2 datafile</i>
4SW	<i>4dos swap file</i>
4TH	<i>Forth source code file (ForthCMP - LMI Forth)</i>
669	<i>Composer 669 module</i>
669	<i>Unis 669 module</i>
6CM	<i>Triton FastTracker Music (6 Channel Module)</i>
73I	<i>TI-73 Bitmap file</i>
8	<i>A86 assembler source code file</i>
82I	<i>TI-82 Bitmap file</i>
83I	<i>TI-83 Bitmap file</i>
85I	<i>TI-85 Bitmap file</i>
86I	<i>TI-86 Bitmap file</i>
89I	<i>TI-89 Bitmap file</i>
8BA	
8BE	
8BF	
8BI	
8BS	
8BX	
8BY	
8CM	<i>Triton FastTracker Music (8 Channel Module)</i>
8LI	
8M	<i>PageMaker Printer font with Math 8 extended character set</i>
8U	<i>PageMaker Printer font with Roman 8 extended character set</i>
906	<i>Calcomp plotter</i>
909	<i>Virtual 909 file</i>

Extensions

92I	<i>Tl-92 Bitmap file</i>
A	<i>Ada source code file</i>
A	<i>Ar archive</i>
A	<i>Unix Library</i>
A11	<i>Graphics AllM image file</i>
A3W	<i>MacroMedia Authorware Windows 3.5 file</i>
AAC	<i>Mpeg-2/4 Advanced Audio Coding file (ADIF or ADTS container or raw format)</i>
AAS	<i>Autodesk Animation Player script</i>
AB6	<i>ABStat Datafile</i>
AB8	<i>ABStat Datafile</i>
ABK	<i>CorelDRAW Automatic backup file</i>
ABR	<i>Adobe Photoshop brush file</i>
ABS	<i>Abscissa Data file</i>
ABS	<i>Abstracts info file</i>
AC3	
ACA	<i>fichier de compagnon MicroSoft Agent</i>
ACA	<i>Project Manager Workbench file</i>
ACB	<i>ACMB Graphics</i>
ACC	<i>DR-DOS - ViewMax Program (GEM/resident)</i>
ACE	<i>Aces200 file</i>
ACE	<i>fichier archive compressé</i>
ACF	<i>fichier de compagnon MicroSoft Agent</i>
ACG	<i>fichier d'aperçu MicroSoft Agent</i>
ACL	<i>AutoCorrect List file</i>
ACL	<i>Corel Draw 6 Keyboard accelerator</i>
ACL	<i>Java source file</i>
ACM	<i>Doom95 file</i>
ACM	<i>fichier son compressé</i>
ACM	<i>graphic file</i>
ACM	<i>Photoshop file</i>
ACM	<i>Windows system directory file</i>
ACO	
ACODEC	<i>Kristal Audio Engine audio codec</i>
ACR	<i>Dicom file</i>
ACS	<i>fichier de compagnon MicroSoft Agent</i>
ACT	<i>Actor source code file</i>
ACT	<i>document du logiciel de création multimédia MacroMedia Action</i>
ACT	<i>Foxdoc Action Diagrams (FoxPro)</i>
ACV	<i>OS/2 Drivers for compressing or decompressing audio files</i>
AD	<i>AfterDark Screen saver data (document de l'économiseur AfterDark)</i>
AD3	<i>AfterDark version 3 file</i>
ADA	<i>Ada source code file</i>
ADB	<i>Ada Package Body</i>
ADC	<i>Scanstudio Bitmap graphics (16 colors)</i>
ADD	<i>Address Manager file</i>
ADD	<i>OS/2 Adapter Driver</i>
ADE	<i>Adresse 2001 file</i>
ADI	<i>AutoCAD Graphics</i>
ADL	<i>QEMM Mca adapter description library</i>
ADM	<i>AfterDark MultiModule</i>
ADM	<i>profil utilisateur</i>
ADN	<i>Lotus 1-2-3 Add-in</i>
ADR	<i>AfterDark Randomizer</i>
ADS	<i>Ada Package Specification</i>
ADT	<i>AdTech Fax</i>
ADT	<i>HP NewWave Datafile for cardfile application</i>
ADX	<i>Archetype Designer Document</i>
AEM	<i>MultitrackStudio edited audio file</i>
AEX	<i>Adobe Premiere Elements effect</i>
AF2	<i>ABC FlowCharter 2.0 Flowchart</i>
AFF	
AFI	<i>Truevision bitmap graphics</i>
AFL	<i>Lotus 1-2-3 Font file (for Allways)</i>
AFM	<i>HP NewWave Datafile for cardfile application</i>
AFM	<i>ATM PostScript Type 1 font metric ASCII data for font installer</i>
AG4	<i>Access G4 file</i>
AI	<i>Adobe Illustrator Vector graphics (image vectorielle d'Adobe Illustrator)</i>

Extensions

AID	<i>ACD See database</i>
AIF	<i>Apple Audio Interchange Format sound file</i>
AIFC	<i>Apple Compressed Audio Interchange File Format sound file</i>
AIFF	<i>Apple Audio Interchange Format sound file</i>
AIN	<i>compressed file archive created by AIN</i>
AIO	<i>APL file transfer format file</i>
AIS	<i>séquence d'images d'ACD See</i>
AIS	<i>Velvet Studio instruments</i>
AIS	<i>Xerox Array of Intensity Samples graphics</i>
AIX	<i>HP NewWave Datafile for cardfile application</i>
AKAI	<i>AKAI S-series floppy disk image file</i>
AKP	<i>AKAI S-5000/S-6000 programs</i>
ALAW	<i>G.711 A-law european telephony format</i>
ALIAS	<i>Alias Image file</i>
ALL	<i>Always Format file for working pages</i>
ALL	<i>Arts & Letters Symbol and font files</i>
ALL	<i>CuBase sequence</i>
ALL	<i>WordPerfect General printer information</i>
ALS	<i>Alias Image file</i>
ALT	<i>WordPerfect Library Menu file</i>
ALW	<i>G.711 A-law european telephony format</i>
AM	
AM3	<i>AfterDark version 3 file</i>
AMF	<i>Advanced Module Format music file</i>
AMF	<i>Asylum/DSMI module</i>
AMF	<i>AVIMaker file</i>
AMG	<i>Actor system image file</i>
AMG	<i>compressed file archive created by AMGC</i>
AMI	<i>Amica Paint file</i>
AMR	<i>MIME AMR file storage format</i>
AMS	<i>Extreme Tracker module</i>
AMS	<i>Velvet Studio AMS 1.x module</i>
ANI	<i>MicroSoft Windows animated cursor (curseur animé)</i>
ANI	<i>Presidio animation</i>
ANIM	<i>Deluxe Paint Animator animation (animation Deluxe Paint Animator)</i>
ANM	<i>Deluxe Paint Animator animation (animation Deluxe Paint Animator)</i>
ANN	<i>Windows 3.x Help Annotations</i>
ANS	<i>ANSI graphics (character animation)</i>
ANS	<i>NewWave Write ASCII text ANSI character set</i>
ANS	<i>texte avec mise en forme</i>
ANV	<i>AirNav file</i>
AOS	<i>Nokia 9000 Add-On Software</i>
AP	<i>compressed Amiga file archive created by WHAP</i>
AP	<i>Datalex EntryPoint 90 Datafile</i>
APC	<i>Lotus 1-2-3 Printer driver</i>
APD	<i>Lotus 1-2-3 Printer driver</i>
APE	<i>Monkey Audio losslessly compressed file</i>
APEX	<i>AVM Sample Studio bank file</i>
APF	<i>Lotus 1-2-3 Printer driver</i>
API	<i>1st Reader Passed parameter file</i>
API	<i>Application Program Interface</i>
API	<i>Lotus 1-2-3 Printer driver</i>
APL	<i>APL work space format file</i>
APP	<i>dBASE Application Generator application object file</i>
APP	<i>executable application file (Atari, DR-DOS, NeXTstep)</i>
APP	<i>FoxPro generated application</i>
APP	<i>MacroMedia Authorware package</i>
APP	<i>Symphony Add-in application file</i>
APR	<i>Employee Appraiser employee performance review</i>
APX	<i>Ability PhotoPaint image</i>
APX	<i>Borland C++ 4.5 Appexpert database file</i>
AR3	<i>AfterDark version 3 file</i>
ARBFP1	
ARBVP1	
ARC	<i>compressed file archive created by ARC (fichier archive compressé selon la technique ARC)</i>
ARC	<i>compressed file archive created by SQUASH</i>
ARF	<i>Automatic Response File</i>

Extensions

ARI	<i>compressed file archive created by ARI</i>
ARJ	<i>compressed file archive created by ARJ (fichier archive compressé)</i>
ARK	<i>Arc file archive created by CP/M port of ARC file archiver</i>
ARK	<i>compressed file archive created by QUARK</i>
ARL	<i>Aureal Aspen bank file</i>
ARR	<i>Atari Cubase Arrangement</i>
ART	<i>Advanced Art Studio file</i>
ART	<i>Art Director file</i>
ART	<i>Art Import Graphics (scrapbook)</i>
ART	<i>Artisan file</i>
ART	<i>First Publisher Raster graphics</i>
ART	<i>image monochrome Corel</i>
ART	<i>miscellaneous information retrieved from CIS, e.g. 'What's New' articles, etc.</i>
ART	<i>PFS Art Publisher file</i>
ARTS	<i>Arts Builder file</i>
ARW	<i>Sony raw image file</i>
ARX	<i>compressed file archive created by ARX</i>
AS3	<i>AfterDark version 3 file</i>
ASA	
ASC	<i>ASCII text file</i>
ASC	<i>PGP Transport armor file</i>
ASC	<i>texte MicroSoft DOS avec mise en forme</i>
ASD	<i>Astound Presentation</i>
ASD	<i>Lotus 1-2-3 Screen driver</i>
ASD	<i>Word for Windows Autosave file</i>
ASE	<i>Velvet Studio sample</i>
ASF	<i>ActiveMovie streaming format</i>
ASF	<i>Advanced Streaming Format audio/video file (fichier audio/vidéo)</i>
ASF	<i>HoTMetaL Pro Active Streaming File</i>
ASF	<i>Lotus 1-2-3 Screen font (police d'écran de Lotus 1-2-3)</i>
ASF	<i>Statgraphics data file</i>
ASFX	
ASH	<i>TASM 3.0 Assembly language header file</i>
ASI	<i>Assembler include file (Turbo C, Borland C++)</i>
ASL	
ASM	<i>Assembly source code file (fichier source Assembleur)</i>
ASO	<i>Turbo Assembler object (orientated) file</i>
ASP	<i>Association of Shareware Professionals notice</i>
ASP	<i>MicroSoft Active Server Page (HTML document)</i>
ASP	<i>Procomm Plus Aspect source code file</i>
AST	<i>Claris Works Assistant file</i>
ASX	<i>raccourci Streaming Audio/Video (sélection audio/vidéo)</i>
AT2	<i>Aldus Persuasion Auto template</i>
ATAK	<i>Soundscape Audio-Take file</i>
ATK	<i>Andrew Toolkit raster object</i>
ATM	<i>Adobe Type Manager data/info (police de caractères Adobe Type Manager)</i>
ATM	<i>TerraGen 'light and atmosphere' file</i>
ATN	
ATT	<i>AT&T Group 4 file</i>
AU	<i>Sun Microsystems/NeXT/DEC sound (audio) file</i>
AUP	<i>Audacity Project File</i>
AUX	<i>ChiWriter Auxiliary dictionary</i>
AUX	<i>TeX/LaTeX Auxillary references</i>
AVA	<i>Avagio Publication</i>
AVI	<i>Audio Video Interleaved animation file for MicroSoft Windows (clip vidéo)</i>
AVR	<i>Audio Visual Research sound file</i>
AVS	<i>Intel video capture format</i>
AVS	<i>Stardent AVS X file</i>
AW	<i>Answer Wizard file</i>
AW	<i>HP AdvanceWrite text file</i>
AWD	<i>Fax document</i>
AWK	<i>Awk script/program</i>
AWM	<i>Animation Works Movie</i>
AWS	<i>StatGraphics Data</i>
AWT	<i>AbiWord document</i>
AX	
B	<i>Applause Batch list</i>

Extensions

B&W	<i>1st Reader Mono binary screen image</i>
B&W	<i>Black and white graphics (Atari, Mac)</i>
B&W	<i>ImageLab file</i>
B1N	<i>1st Reader both mono and color binary screen image</i>
B30	<i>Ventura Publisher Printer font (JLaser, Cordata)</i>
B3D	<i>BodyPaint 3D format</i>
B64	<i>archive</i>
B64	<i>Mac file</i>
B64	<i>Multipurpose Internet Mail Extension Base 64 file</i>
B8	<i>PicLab Raw graphics (one byte per pixel) plane two</i>
BAD	<i>Oracle Bad file</i>
BAK	<i>BackUp file</i>
BAL	<i>Ballade Music score</i>
BAR	<i>dBASE Application Generator Horizontal bar menu object file</i>
BAS	<i>Basic source code file</i>
BAT	<i>DOS Batch file (fichier de commande)</i>
BAT	<i>Notator pattern backup</i>
BAU	<i>fichier de configuration OpenOffice.org 1.1</i>
BB	<i>Papyrus Database backup</i>
BBL	<i>TeX/BibTeX Bibliographic reference</i>
BBM	<i>Deluxe Paint Brush</i>
BBP	<i>Bezier surface file</i>
BBS	<i>Bulletin Board System announce</i>
BCF	<i>BellLive content file</i>
BCH	<i>Datalex EntryPoint 90 Datafile</i>
BCH	<i>dBASE Application Generator Batch process object file</i>
BCI	<i>Belarc computer profile</i>
BCO	<i>Bitstream Outline font description</i>
BCP	<i>Borland C++ makefile</i>
BCT	<i>SoftNote 2001 file</i>
BCW	<i>Borland C++ 4.5 Environment settings</i>
BCX	
BDB	<i>MicroSoft Works BackUp DataBase</i>
BDF	<i>Egret Datafile</i>
BDF	<i>X11 Bitmap Distribution Format font file</i>
BDR	<i>MicroSoft Publisher border</i>
BDR	<i>Ornamatica Border document</i>
BDX	<i>dBase index file</i>
BEQ	<i>Notator pattern track backup</i>
BEZ	<i>Bezier surface file</i>
BEZ	<i>Bitstream Outline font description</i>
BF2	<i>Bradford 2 font</i>
BFC	<i>Windows 95 Briefcase document</i>
BFF	
BFL	
BFLI	
BFM	<i>Unix/Frame Font metrics</i>
BFX	<i>Bfx Bitware file</i>
BFX	<i>BitFax Fax</i>
BG	<i>Backgammon game</i>
BGA	<i>OS/2 Bitmap graphics file</i>
BGD	<i>Biographe file</i>
BGI	<i>Borland Graphics Interface device driver</i>
BH	<i>fichier archive compressé</i>
BI	<i>Binary file</i>
BIB	<i>ASCII Bibliography</i>
BIB	<i>Papyrus Database</i>
BIB	<i>TeX/BibTeX Literature database</i>
BID	<i>Standard MIDI file backup</i>
BIE	<i>JBIG file</i>
BIF	<i>Image Capture board Binary Image Format black & white graphics</i>
BIN	<i>archive</i>
BIN	<i>binary file</i>
BIN	<i>Driver</i>
BIN	<i>MacBinary II encoded file</i>
BIO	<i>OS/2 BIOS</i>
BIT	<i>Bitmap X11</i>

Extensions

BITMAP	
BK	<i>Backup copy</i>
BK	<i>JetFax Faxbook</i>
BK!	<i>WordPerfect Document backup</i>
BK\$	<i>Backup file</i>
BK1...9	<i>WordPerfect Timed backup file for document window</i>
BKF	<i>MicroSoft Backup file</i>
BKP	<i>Backup file (Write, TurboVidion DialogDesigner)</i>
BKS	<i>MicroSoft Works Backup SpreadSheet</i>
BKW	<i>FontEdit Mirror image of font set</i>
BLD	<i>BASIC Bloadable picture</i>
BLG	<i>fichier de l'analyseur de performances MicroSoft Windows</i>
BLK	<i>Amiga IFF file</i>
BLK	<i>Rave block file</i>
BLK	<i>WordPerfect Temporary file</i>
BLP	<i>texture file</i>
BLT	<i>Wordperfect for DOS file</i>
BM	<i>X11 BitMap graphics file</i>
BMF	<i>Corel Flow file</i>
BMK	<i>Windows 3.x Help Bookmarks (marque-page de l'aide de MicroSoft Windows)</i>
BMP	<i>Alpha Microsystem BitMap file</i>
BMP	<i>MicroSoft Windows BitMap file (image)</i>
BMP	<i>OS/2 BitMap file</i>
BMP	<i>PC Paintbrush Bitmap graphics</i>
BMP24	<i>image BitMaP 24 bits</i>
BN4	<i>Yamaha DX21/DX27/DX100 voice SysEx dump</i>
BNK	<i>AdLib instrument bank file</i>
BNK	<i>Sim City game file</i>
BNK	<i>Yamaha DX11/DX21/DX27/DX100/TX81z voice SysEx dump</i>
BOB	<i>Bob Ray-Tracer file</i>
BON	<i>Notator song backup</i>
BOO	<i>compressed file ASCII archive created by BOO</i>
BPC	<i>Business Plan Toolkit Chart</i>
BPT	<i>CorelDRAW Bitmap fills file</i>
BPX	<i>TrueVision Targa file</i>
BR	<i>Bridge Script</i>
BRD	<i>Eagle Layout File</i>
BRK	<i>Brooktrout Fax-Mail Fax</i>
BRT	<i>Brooktrout 301 file</i>
BRX	<i>Browse Index (multimedia CD-ROMs)</i>
BS	<i>Printfox/Pagefox file</i>
BSA	<i>compressed file archive created by BSARC</i>
BSC	<i>compressed Apple II file archive created by BINSCL</i>
BSC	<i>MicroSoft Fortran Pwbrmake object file</i>
BSC	<i>Source Browser Database</i>
BSH	
BTM	<i>4DOS Batch To Memory batch file</i>
BUG	<i>Bugs and Problems</i>
BUM	<i>Poser Bump file</i>
BUP	<i>Backup file</i>
BUT	<i>Button definitions (Buttons!)</i>
BUY	<i>Datafile format (movie)</i>
BV1...9	<i>WordPerfect Overflow file below insert point in Doc</i>
BW	<i>Silicon Graphics black and white image file</i>
BWB	<i>Visual Baler Spreadsheet application</i>
BWF	<i>Broadcast wave file</i>
BWP	<i>BackWeb InfoPack preview file</i>
BWR	<i>Kermit Beware (buglist)</i>
BWW	<i>Bagpipe Music Writer file</i>
BXL	<i>BiblioExpress database</i>
BYU	<i>Movie file</i>
BZ	
BZA	<i>archive</i>
BZ2	
B_W	<i>Black and white graphics (Atari, Mac)</i>
B_W	<i>ImageLab file</i>
C	<i>compressed Unix file archive created by COMPACT</i>

Extensions

C	<i>C source code file</i>
C--	<i>Sphinx C-- Source code</i>
C++	<i>C++ source code file</i>
C00	<i>Ventura Publisher Print file</i>
C01	<i>Typhoon wave file</i>
C2D	<i>archive</i>
C2R	<i>Windows Media Center file</i>
C4	<i>Edmics file</i>
C86	<i>Computer Innovation C86 C source code file</i>
CA	<i>Telnet Initial cache data for root domain servers</i>
CAB	<i>Microsoft Cabinet file (fichier archive compressé)</i>
CAC	<i>dBASE IV executable when caching on/off</i>
CAD	<i>Drafix Windows CAD Document</i>
CAD	<i>Softdesk Drafix CAD File</i>
CAF	<i>Apple CoreAudio file</i>
CAF	<i>Cathy catalogue</i>
CAFF	<i>Apple CoreAudio file</i>
CAL	<i>Cals Raster Group 1 file</i>
CAL	<i>MicroSoft Windows 3.x Calendar file</i>
CAL	<i>SuperCalc Spreadsheet</i>
CALS	<i>Cals Raster Group 1 file</i>
CAM	<i>Casio QV-10/100 Camera file</i>
CAMP	<i>profil de condition de visualisation WCS</i>
CAN	<i>Canon Navigator Fax file</i>
CAP	<i>Capella file</i>
CAP	<i>Telix Session capture file</i>
CAP	<i>Ventura Publisher Caption</i>
CAR	<i>Rockford! file</i>
CAS	<i>Comma-delimited ASCII File</i>
CAT	<i>catalogue de sécurité</i>
CAT	<i>dBASE IV Catalog</i>
CAT	<i>fichier répertoire</i>
CAT	<i>Photomatrix file</i>
CAX	
CB	<i>Blue Squirrel ClickBook</i>
CBC	<i>CubiCalc Fuzzy logic system</i>
CBL	<i>Cobol source code file</i>
CBM	<i>Fuzzy Bitmap file</i>
CBM	<i>XLib Compiled bitmap graphics</i>
CBT	<i>Computer Based Training (fichier de données de didacticiel pour MicroSoft Windows)</i>
CC	<i>C++ source code file</i>
CCB	<i>Visual Basic Animated Button Configuration</i>
CCC	<i>Curtain Call Bitmap graphics</i>
CCD	<i>Clone CD file</i>
CCF	<i>Symphony Communications configuration file</i>
CCH	<i>CorelChart Chart</i>
CCL	<i>Intalk Communication Command Language file</i>
CCM	<i>Lotus cc:Mail file</i>
CCO	<i>XBTX Btx Graphics file</i>
CCT	<i>LogicWorks Circuit file</i>
CD	<i>image Adobe Photo Deluxe</i>
CDA	<i>CD audio track (piste de CD audio)</i>
CDB	<i>CardScan Card database</i>
CDB	<i>Turbo C Utilities Main database</i>
CDD	
CDF	<i>Channel file</i>
CDF	<i>netcdf Graphics</i>
CDI	<i>DiscJuggler archive file</i>
CDK	<i>Atari Calamus Document</i>
CDL	<i>CDLabel file</i>
CDL	<i>Clarion CDs tracks titles</i>
CDMP	<i>profil de périphérique par défaut WCS</i>
CDR	<i>Audio CD compatible raw data</i>
CDR	<i>Corel Draw Bitmap file</i>
CDT	<i>CorelDraw 4.0 Data</i>
CDT	<i>Corel Draw template</i>
CDU	<i>CDU Paint file</i>

Extensions

CDX	<i>FoxPro Compound index file</i>
CDX	<i>Corel Draw compressed file (image compressée CorelDraw)</i>
CE	<i>Computer Eyes (Digital Vision) file</i>
CE	<i>FarSide Computer Calendar file</i>
CE1	<i>Computer Eyes (Raw) file</i>
CE2	<i>Computer Eyes (Raw) file</i>
CEB	
CEG	<i>Bitmap graphics (Tempra Show, Edsun Continuous Edge Graphics)</i>
CEL	<i>Graphics file (Autodesk Animator, Lumena)</i>
CER	<i>certificat de sécurité</i>
CF	<i>imake Configuration file</i>
CFB	<i>Compton's multimedia encyclopedia</i>
CFG	<i>Configuration file (fichier de configuration)</i>
CFL	<i>Corel Flow</i>
CFL	<i>CorelFlow Chart</i>
CFN	<i>Atari Calamus Font data</i>
CFO	<i>Turbo C Utilities C Form Object internal format object file</i>
CFP	<i>Complete Fax Portable Fax</i>
CGA	<i>Ventura Publisher CGA display font</i>
CGB	<i>PrintPratic file</i>
CGI	<i>Common Gateway Interface (fichier de script utilisé sur les serveurs Internet)</i>
CGM	<i>Computer Graphics Metafile</i>
CH	<i>Clipper 5 Header file</i>
CH	<i>SciTex Continuous Tone file</i>
CH3	<i>Harvard Graphics 3.0 Chart</i>
CH4	<i>Charisma 4.0 Presentation</i>
CHD	<i>FontChameleon Font descriptor</i>
CHI	<i>ChiWriter Document</i>
CHK	<i>MicroSoft ChkDsk Recovered data (fragments de fichiers récupérés)</i>
CHK	<i>WordPerfect Temporary file</i>
CHL	<i>Configuration History Log</i>
CHM	<i>MicroSoft Help compressed HTML file (fichier d'aide HTML compilé, version 1)</i>
CHN	<i>Ethnograph 3 Data</i>
CHP	<i>Ventura Publisher Chapter file</i>
CHR	<i>Character set (Turbo C, Turbo Pascal)</i>
CHT	<i>Chart (Harvard Graphics 2.0, SoftCraft Presenter)</i>
CHT	<i>dBASE Interface file for ChartMaster</i>
CHT	<i>Harvard Graphics 2.3 file</i>
CHW	
CHY	<i>Cherry sequence file</i>
CIF	<i>Caltech Intermediate Format graphics</i>
CIF	<i>Ventura Publisher Chapter information</i>
CIL	<i>Clip Gallery download package</i>
CIM	<i>Sim City file</i>
CIN	<i>Kodak Cineon file</i>
CIN	<i>Kristal Audio Engine plug-in</i>
CIT	<i>InterGraph Format file (scanned image)</i>
CIX	<i>Turbo C Utilities Database index</i>
CKB	<i>Borland C++ 4.5 Keyboard mapping</i>
CL	<i>Common LISP source code file</i>
CLASS	<i>Java class</i>
CLD	<i>CD-LabelPrint file</i>
CLG	
CLO	<i>Cloe Ray-Tracer file</i>
CLOE	<i>Cloe Ray-Tracer file</i>
CLP	<i>Clipper 5 Compiler script file (clip list)</i>
CLP	<i>GoDot file</i>
CLP	<i>GRASP image file</i>
CLP	<i>MicroSoft Windows Clipboard file</i>
CLP	<i>PC Paint/Pictor Page</i>
CLP	<i>Quattro Pro Clip art graphics</i>
CLR	<i>1st Reader Color binary screen image</i>
CLR	<i>Photostyler Color definitions</i>
CLS	<i>C++ class definition file</i>
CLX	
CM	<i>CraftMan Data file</i>
CMD	<i>1st Reader External command menu</i>

Extensions

CMD	<i>Command (dBASE, Waffle)</i>
CMD	<i>fichier de commande Batch</i>
CMD	<i>OS/2 Batch file</i>
CMD	<i>script de commande Windows</i>
CMF	<i>Corel MetaFile</i>
CMF	<i>Creative Labs music file</i>
CMF	<i>SoundBlaster file</i>
CMK	<i>Card Shop Plus Card</i>
CMM	<i>CEnvi Cmm script (batch) file</i>
CMP	<i>Bitmap graphics (Lead CMP compression)</i>
CMP	<i>CorelDraw Header file for PostScript printer files</i>
CMP	<i>MicroSoft Word User dictionary</i>
CMP	<i>script (compilé) TwinTalk</i>
CMT	<i>Chinon ES-1000 digital camera file</i>
CMU	<i>CMU Window Manager file</i>
CMV	<i>Animation (CorelMove, CorelDraw 4.0)</i>
CMX	<i>Corel Metafile Exchange</i>
CNC	<i>CNC general program data</i>
CNF	<i>Configuration file (program, printer setup)</i>
CNQ	<i>BankPerfect file</i>
CNQ	<i>Compuworks Design Shop</i>
CNT	<i>InContact! file</i>
CNT	<i>Microsoft WinHelp contents file (table des matière de l'aide en ligne)</i>
CNV	<i>Word Data conversion support file (fichier de filtres de conversion de documents texte)</i>
CNV	<i>WordPerfect Temporary file</i>
COB	<i>Cobol source code file</i>
COD	<i>3GPP AMR interface format 2 file</i>
COD	<i>Datafile (Forecast Plus, MS Multiplan, StatPac Gold)</i>
COD	<i>dBASE Application Generator Template source file</i>
COD	<i>FORTRAN Program compiled code</i>
COD	<i>Videotext file</i>
COL	<i>Autodesk Animator Color palette</i>
COL	<i>MicroSoft Multiplan Spreadsheet</i>
COM	<i>fichier de configuration Psion Comms-Link</i>
COM	<i>MicroSoft DOS Command (application, fichier de commande exécutable DOS)</i>
COMPOSITEFONT	<i>fichier de polices composites</i>
CON	<i>Simdir Configuration file</i>
CONF	
CONTACT	<i>fichier Contacts Windows</i>
CP8	<i>CP8 256 Gray Scale file</i>
CPD	<i>Complaints Desk Script</i>
CPE	<i>Fax Cover document (fichier de définition de page de garde des télécopies)</i>
CPF	<i>Complete Fax</i>
CPH	<i>Corel Print House image</i>
CPI	<i>Calamus picture file</i>
CPI	<i>Colorlab Processed Image bitmap graphics</i>
CPI	<i>DOS Code Page Information file (fichier pages de code)</i>
CPIO	<i>archive</i>
CPL	<i>Compel Presentation</i>
CPL	<i>Windows 3.x Control panel file (élément du Panneau de configuration MicroSoft Windows)</i>
CPP	<i>C++ source code file</i>
CPP	<i>CA-Cricket Presents Presentation</i>
CPR	<i>ConTEXT project</i>
CPR	<i>Knowledge Access graphics</i>
CPS	<i>Backup of startup files by Central Point PC Tools</i>
CPS	<i>coloured postscript files</i>
CPT	<i>CA-Cricket Presents Template</i>
CPT	<i>compressed Mac file archive created by COMPACT PRO</i>
CPT	<i>Comptes file</i>
CPT	<i>Corel PhotoPaint 6.0 file</i>
CPT	<i>dBASE Encrypted memo file</i>
CPX	<i>Corel Presentation Exchange compressed file</i>
CPZ	<i>COMPOZ Music text file</i>
CR2	<i>Canon EOS-1D Mark II raw image file</i>
CRD	<i>fichier de carte d'informations gérées Windows CardSpace</i>
CRD	<i>Cardfile (MicroSoft Windows 3.x, YourWay)</i>
CRDS	<i>fichier de sauvegarde Windows CardSpace</i>

Extensions

CRF	<i>Cross-reference (MS MASM, Zortech C++)</i>
CRG	<i>Calamus picture file</i>
CRL	<i>liste de révocation des certificats de confiance MicroSoft Windows</i>
CRP	<i>dBASE IV Encrypted database</i>
CRS	<i>WordPerfect 5.1 File Conversion Resource</i>
CRT	<i>certificat de sécurité MicroSoft Windows</i>
CRT	<i>Oracle Terminal settings information</i>
CRTX	<i>modèle de graphique MicroSoft Office</i>
CRU	<i>compressed file archive created by CRUSH</i>
CRW	<i>Canon PowerShot raw image file</i>
CRX	
CRY	<i>CryptPad file</i>
CSC	<i>Corel Script</i>
CSD	
CSF	
CSG	<i>Statistica/w Graph</i>
CSH	
CSM	<i>Borland C++ 4.5 Precompiled headers</i>
CSP	<i>Computer Support Corporation Pc Emcee Screen Image file</i>
CSS	<i>Cascading Style Sheet (document de feuille de style en cascade)</i>
CSS	<i>Statistica/w Datasheet</i>
CSS	<i>Stats+ Datafile</i>
CSV	<i>ASCII Comma Separated Values text file</i>
CSV	<i>CompuShow Adjusted EGA/VGA palette</i>
CSV	<i>MIDICSV file</i>
CT	<i>SciTex Continuous Tone file</i>
CTA	<i>MicroSoft Digital Image document</i>
CTC	<i>PC Installer Control file</i>
CTF	<i>Symphony Character code translation file</i>
CTL	<i>Control file (dBASE IV, Aldus Setup)</i>
CTX	<i>Microsoft online guides Course Text file</i>
CTX	<i>Pretty Good Privacy RSA System Ciphertext file</i>
CTY	<i>SimCity City file</i>
CUE	<i>Cue-Sheet file</i>
CUF	<i>Turbo C Utilities C Utilities Form definition</i>
CUR	<i>Windows 3.x Cursor image file (curseur)</i>
CURSOR	<i>Sun Cursor</i>
CUT	<i>Dr Halo image file</i>
CUTIT	<i>Cut It file</i>
CV	<i>Microsoft CodeView</i>
CV4	<i>CodeView Color file</i>
CVG	<i>PhotoLine image</i>
CVI	<i>Compressed Volume Information</i>
CVP	<i>Connexitx VideoPhone file</i>
CVP	<i>WinFax Cover page</i>
CVS	<i>CanVaS drawing</i>
CVS	<i>WinPhone file</i>
CVT	<i>dBASE IV Backup file for converted database file</i>
CVW	<i>CodeView Color file</i>
CWC	<i>palette de couleurs Claris Works</i>
CWG	<i>CWK palette</i>
CWK	<i>Claris Works file</i>
CWL	<i>Claris Works Library</i>
CWS	<i>Claris Works template</i>
CWT	<i>palette de textures Claris Works</i>
CXX	<i>Zortech C++ source code file</i>
DAO	<i>copie de sécurité des fichiers du Registre</i>
DAT	<i>Data file in special format or ASCII</i>
DAT	<i>fichier d'informations système associé à la base de registre</i>
DATA	
DB	<i>configuration file (dBASE IV, dBFast)</i>
DB	<i>database file (Paradox, Smartware)</i>
DB\$	<i>Clarion Modula-2 Temperature debug info</i>
DB\$	<i>dBASE Temporary file</i>
DB2	<i>dBASE II Database</i>
DB3	<i>dBASE III Database</i>
DBA	<i>DataEase Datafile</i>

Extensions

DBA	<i>MicroSoft Access file</i>
DBC	<i>Visual FoxPro database</i>
DBD	<i>Business Insight Business data</i>
DBD	<i>Clarion Modula-2 Debug info</i>
DBF	<i>classeur OpenOffice</i>
DBF	<i>Database file (dBASE III/IV, FoxPro, dBFast, DataBoss)</i>
DBG	<i>MS C/C++ Symbolic debugging information</i>
DBK	<i>dBASE IV Database backup</i>
DBM	<i>DataBoss Menu template</i>
DBM	<i>DataEase Datafile</i>
DBM	<i>DigiBooster Pro module</i>
DBO	<i>dBASE IV Compiled program</i>
DBS	<i>Database in SQL Windows format</i>
DBS	<i>Printer description file (Word, Works)</i>
DBS	<i>PRODAS Datafile</i>
DBT	<i>Clipper Data Base Text</i>
DBT	<i>FoxPro Foxbase+ style memo</i>
DBT	<i>Memo file for database (dBASE IV, dBFast)</i>
DBW	<i>DataBoss Windows file</i>
DBX	<i>DATABEAM graphics</i>
DBX	<i>dossier de messages sous Outlook 5</i>
DC3	<i>Dicom file</i>
DCA	<i>IBM DisplayWrite Document Content Architecture text file</i>
DCF	<i>Disk image file</i>
DCM	<i>DCM module</i>
DCM	<i>Dicom 3 file</i>
DCP	<i>OS/2 Data CodePage</i>
DCR	<i>animation de Shockwave et Director de Macromedia</i>
DCR	<i>Kodak Pro Digital raw image</i>
DCS	<i>ACT! Activity Files Datafile</i>
DCS	<i>EPS Color Separation</i>
DCS	<i>QuarkXPress Bitmap graphics (CYMK format)</i>
DCT	<i>Clarion Database Developer Database dictionary</i>
DCT	<i>Spell checking dictionary (Harvard Graphics 3.0, Symphony)</i>
DCX	<i>Multipage PCX Bitmap graphics</i>
DCX	<i>Windows FaxView file</i>
DCX	<i>ZSoft Multi-page Paintbrush file</i>
DCX	<i>ZSoft Publisher's Paintbrush file</i>
DD	<i>compressed Macintosh file archive created by DISKDOUBLER</i>
DD	<i>Doodle C64 file</i>
DDB	<i>Bitmap graphics</i>
DDI	<i>Disk Doubler Image</i>
DDI	<i>Diskdupe Image file</i>
DDL	<i>Data Definition Language file</i>
DDP	<i>OS/2 Device Driver Profile file</i>
DDS	<i>Direct Draw Surface texture</i>
DEB	<i>DOS Debug script</i>
DEB	<i>paquet Debian</i>
DEF	<i>C++ Definition</i>
DEF	<i>Defaults/definitions file (fichier de configuration)</i>
DEF	<i>Geoworks Assembly header file</i>
DEM	<i>Demonstration file</i>
DEM	<i>VistaPro Graphics</i>
DER	<i>Certificate (certificat de sécurité MicroSoft Windows)</i>
DESC	
DESKLINK	<i>raccourci Bureau MicroSoft Windows</i>
DESKTOP	<i>Desktop config file</i>
DEV	<i>Device driver (fichier de pilotage de périphérique)</i>
DEWF	<i>SoundCap/SoundEdit instruments</i>
DF2	<i>Defractor enhanced instrument</i>
DFC	<i>Defractor instrument</i>
DFD	<i>Prosa Data Flow Diagram graphic</i>
DFI	<i>Digifont Outline font description</i>
DFL	<i>Signature Default program settings</i>
DFM	<i>Prosa Data Flow Diagram model file</i>
DFS	<i>Delight Sound File</i>
DFV	<i>Word Printing form</i>

Extensions

DFX	
DG	<i>Autotrol graphics</i>
DGN	<i>Intergraph graphics</i>
DGN	<i>MicroStation Graphics</i>
DGS	<i>Diagnostics file</i>
DH	<i>Geoworks Dependency information</i>
DHE	<i>Dynamic HTML Editor file</i>
DHP	<i>Dr. Halo PIC Format graphics</i>
DHT	<i>Gauss Datafile</i>
DIA	<i>Computer Support Corporation Diagraph graphics</i>
DIA	<i>fichier agenda Psion CM/XP</i>
DIA	<i>montage PhotoStat</i>
DIB	<i>MicroSoft Windows Device Independent Bitmap file (image)</i>
DIC	<i>Dicom file</i>
DIC	<i>Dictionnary file (fichier dictionnaire : correcteur orthographique, etc.)</i>
DICOM	<i>Dicom file</i>
DIF	<i>Data Interchange Format spreadsheet</i>
DIF	<i>Data Interchange Format Text file</i>
DIF	<i>fichier catalogue de sauvegarde différentielle MicroSoft Backup</i>
DIF	<i>output from Diff command</i>
DIF	<i>script for Patch command</i>
DIF	<i>Visicalc Database file</i>
DIG	<i>Digilink format file</i>
DIG	<i>Sound Designer I file</i>
DIP	<i>Graphics</i>
DIR	<i>Directory file</i>
DIR	<i>MacroMind Director 4.x Movie</i>
DIR	<i>Procomm Plus Dialing directory file</i>
DIR	<i>VAX Directory file</i>
DIS	<i>CorelDraw Thesaurus</i>
DIS	<i>DKB Ray-Tracer file</i>
DIS	<i>VAX Mail Distribution file</i>
DISABLED	<i>disabled startup file</i>
DIVX	<i>video file (fichier vidéo)</i>
DIZ	<i>Description In Zip file</i>
DJV	
DJVU	
DKB	<i>DKBTrace Raytraced graphics</i>
DL	<i>Animation (Italian origin)</i>
DLD	<i>Lotus 1-2-3 Data</i>
DLG	
	<i>MicroSoft Windows SDK Dialog resource script file (fichier de description d'une boîte de dialogue Windows)</i>
DLL	<i>CorelDraw Export/import filter</i>
DLL	<i>MicroSoft Windows Dynamic Link Library (extension d'application)</i>
DLP	<i>DirectMusic Producer DLS file</i>
DLS	<i>Downloadable Sounds level 1/2/2+/2++ bank</i>
DLS	<i>Grids scheme</i>
DLS	<i>Mobile DLS files minimal/full feature set</i>
DLS	<i>Norton Disklock Setup</i>
DLY	<i>Grids symbols library</i>
DMF	<i>Delusion/XTracker module (digital music format)</i>
DMG	<i>image ISO sous MAC OS X</i>
DMO	<i>Derive Demo</i>
DMP	<i>Dump file</i>
DMS	<i>compressed Amiga file archive created by DISKMASHER</i>
DNG	<i>Digital Negative Specification file</i>
DOC	<i>Document text file (fichier de documentation)</i>
DOC	<i>MicroSoft Word document</i>
DOCBOOK	<i>DocBook document</i>
DOCHTML	<i>MicroSoft Word HTML document</i>
DOCM	<i>document traitement de texte avec macros MicroSoft Office 2007</i>
DOCMHTML	
DOCX	<i>document traitement de texte MicroSoft Office 2007</i>
DOCXML	<i>MicroSoft Word document</i>
DOG	<i>Laughing Dog Screen Maker Screen file</i>
DOH	<i>Geoworks Dependency information</i>
DOO	<i>Doodle Atari file</i>

Extensions

DOS	<i>1st Reader External command file</i>
DOS	<i>Disk Operating System file (fichier système pour MS-DOS)</i>
DOS	<i>Network driver</i>
DOS	<i>Text file containing DOS specific info</i>
DOT	<i>CorelDraw Line-type definition file</i>
DOT	<i>MicroSoft Word template (modèle MicroSoft Office Word)</i>
DOTHTML	<i>MicroSoft Word HTML template (modèle MicroSoft Word)</i>
DOTM	
	<i>MicroSoft Office Word macro-enabled template (modèle traitement de texte MicroSoft Office 2007)</i>
DOTX	<i>Microsoft Office Word template (modèle Microsoft Office Word)</i>
DOX	<i>MultiMate 4.0 Text file</i>
DOZ	<i>Description Out of Zip file</i>
DP	<i>Daily Planner Calendar file</i>
DP	<i>DataPhile Data file</i>
DPC	
DPI	<i>Dots Per Inch graphics</i>
DPR	<i>Borland C++ Default project and state-related information</i>
DPX	<i>Kodak Cineon file</i>
DQY	<i>MicroSoft Office Excel ODBC query file</i>
DR8	<i>FXpansion DR-008 drumkit</i>
DRM	<i>MIDI Drum Machine file</i>
DRO	<i>DOSBox Raw OPL format</i>
DRS	<i>WordPerfect Display Resource</i>
DRV	<i>Device driver (pilote de périphérique)</i>
DRW	<i>CorelDraw file</i>
DRW	<i>Micrografx Designer Vector graphics</i>
DS	<i>DrumSynth sound file</i>
DS4	<i>Micrografx Designer 4.0 Vector graphics</i>
DSC	<i>Oracle Discard file</i>
DSD	<i>DataShaper Database</i>
DSF	<i>Delusion/XTracker sample</i>
DSF	<i>Designer graphics</i>
DSK	<i>Project desktop file (Borland C++, Turbo Pascal)</i>
DSM	<i>DSI Digital sound module</i>
DSM	<i>DSIK internal format module</i>
DSN	<i>MicroSoft OLE DB Provider for ODBC drivers (nom de source de données)</i>
DSN	<i>Object System Designer Design</i>
DSP	<i>Dr.Halo Graphics display driver</i>
DSP	<i>Norton Utilities file</i>
DSP	<i>Signature Display parameters</i>
DSR	<i>WordPerfect Driver Resource</i>
DSS	<i>DCC Screensaver file</i>
DSS	<i>Digital Soup Sound</i>
DSS	<i>Olympus DSS file</i>
DSW	<i>Borland C++ 4.5 Desktop settings</i>
DT_	<i>Data fork of a Macintosh file</i>
DTA	<i>Data file (Turbo Pascal, PC-File, Stata)</i>
DTD	<i>XML DTD document</i>
DTF	<i>Database file (PFS, Q&A)</i>
DTM	<i>DigiTrekker module</i>
DTP	<i>Publish-It! Publication</i>
DTP	<i>Timeworks Publisher3 Document</i>
DUN	<i>fichier exporté d'Accès Réseau à distance</i>
DUT	
DV	<i>Digital Video file</i>
DVC	<i>Lotus 1-2-3 Data</i>
DVD	<i>Device Driver</i>
DVF	<i>film vidéo issu d'un caméscope DV</i>
DVI	<i>TeX Device Independent document</i>
DVP	<i>AutoCAD Device parameter file</i>
DVP	<i>DESQview Program Information file</i>
DVR	<i>programme télévisé enregistré</i>
DVR-MS	<i>programme télévisé enregistré</i>
DW2	<i>DesignCAD Drawing</i>
DWC	<i>compressed file archive created by DWC</i>
DWD	<i>DiamondWare digitized file</i>
DWFX	<i>XPS document</i>

Extensions

DWG	<i>AutoCAD drawing file</i>
DWG	<i>Drafix Drawing</i>
DWT	<i>Macromedia Dreamweaver template</i>
DWZ	<i>Ulead DVD MovieFactory project</i>
DX	<i>Text file (DEC WPS/DX format - DEC WPS Plus)</i>
DX7	<i>Raw Yamaha DX7 32-voice data</i>
DX7	<i>Yamaha DX7 voice SysEx dump</i>
DXF	<i>AutoCAD Drawing Interchange File Format vector graphics</i>
DXG	<i>Massiva samples bank</i>
DXN	<i>Fujitsu dexNET Fax</i>
DXR	
DYN	<i>Lotus 1-2-3 Data</i>
E00	<i>Format d'échange de données pour le système d'information géospatiale ARC/Info de Environmental Systems Research Institute, Inc.</i>
EBJ	<i>Geoworks Error-checking object file</i>
ECD	<i>Easy CD file (sauvegarde d'un projet de gravage réalisé avec Easy CD Creator)</i>
ECW	<i>Enhanced Compressed Wavelet file</i>
ED5	<i>EDMICS graphics</i>
EDA	<i>Ensoniq ASR-10 disk image</i>
EDE	<i>Ensoniq EPS disk image</i>
EDK	<i>Ensoniq KT disk image</i>
EDM	<i>Ensoniq Mirage disk image</i>
EDN	<i>Adobe DRM activation file</i>
EDQ	<i>Ensoniq SQ1/SQ2/KS32 disk image</i>
EDT	<i>VAX Edt editor Default settings</i>
EDV	<i>Ensoniq VFX-SD disk image</i>
EEB	<i>WordPerfect Button bar for Equation Editor</i>
EFA	<i>Ensoniq ASR-10 instrument file</i>
EFE	<i>Ensoniq EPS instrument file</i>
EFK	<i>Ensoniq KT instrument file</i>
EFQ	<i>Ensoniq SQ1/SQ2/KS32 instrument file</i>
EFS	<i>Ensoniq SQ80 instrument file</i>
EFT	<i>ChiWriter High resolution screen font</i>
EFTX	<i>MicroSoft Office Theme effect</i>
EFV	<i>Ensoniq VFX-SD instrument file</i>
EFX	<i>Everex EFax Fax</i>
EGA	<i>Ventura Publisher EGA display font</i>
EGV	
EI	<i>Electric Image file</i>
EIDI	<i>Electric Image file</i>
EIT	
EL	<i>Emacs lisp (Elisp) source code file</i>
ELC	<i>Compiled Emacs lisp (ELISP) code</i>
ELM	<i>Microsoft Office Themes file</i>
ELT	<i>Prosa Event list text file</i>
EMB	<i>Everest embedded bank file</i>
EMD	<i>ABT extended module</i>
EMF	<i>Windows Enhanced MetaFile graphics (image)</i>
EML	<i>MicroSoft InterNet Mail Message (message électronique)</i>
EMS	<i>PC Tools Enhanced Menu System Configuration file</i>
EMU	<i>BITCOM Terminal emulation data</i>
EMY	<i>EMelody Ericsson mobile ring-tone</i>
EMZ	<i>Windows Comp. Enhanced Metafile</i>
ENC	<i>archive</i>
ENC	<i>Encore Music</i>
ENC	<i>Lotus 1-2-3 Encoded file</i>
ENC	<i>UUEncoded file</i>
END	<i>CorelDraw Arrow-head definition file</i>
ENG	<i>EnerGraphics Graphics (charting)</i>
ENG	<i>Sprint Dictionary engine</i>
ENV	<i>WOPR Enveloper macro</i>
ENV	<i>WordPerfect Environment file</i>
EPD	<i>Express Publisher Publication</i>
EPI	<i>EPS Interchange format file (image vectorielle des logiciels Adobe)</i>
EPI	<i>Express Publisher Document</i>
EPP	
EPS	<i>Encapsulated PostScript (preview) file (image vectorielle des logiciels Adobe)</i>

Extensions

EPS	<i>Ventura Publisher Printer font</i>
EPS2	image vectorielle des logiciels Adobe
EPSI	<i>Encapsulated PostScript Interchange file</i> (image vectorielle des logiciels Adobe)
EPSF	image vectorielle des logiciels Adobe
EPT	<i>EPS interchange format file</i> (image vectorielle des logiciels Adobe)
EQN	<i>WordPerfect Equation</i> (fichier d'équation de WordPerfect)
ERD	<i>Prosa Entity Relationship Diagram graphic file</i>
ERI	<i>Entis Rasterized Image (ERI-Chan)</i>
ERM	<i>Prosa Entity Relationship Diagram model file</i>
ERR	<i>Error log</i>
ERR	<i>Error messages for command line compilers</i>
ESH	<i>Extended Shell batch file</i>
ESI	<i>Esri plot file</i>
ESM	<i>Enhance Simplex file</i>
ESPS	<i>ESPS audio file</i>
ETD	<i>Adobe Reader EBX transfer data file</i>
ETH	<i>Ethnograph 3 Document</i>
ETX	<i>Structure Enhanced (setext) text</i>
EUI	<i>Ensoniq EPS family compacted disk image</i>
EVT	
EVTX	<i>Event log</i> (journal des événements classiques de l'Observateur d'événements MicroSoft Windows)
Evy	<i>Event log</i> (journal des événements de l'Observateur d'événements MicroSoft Windows)
Evy	<i>WordPerfect Envoy Document</i>
EWD	<i>Express Publisher Document</i>
EX3	<i>Harvard Graphics 3.0 Device driver</i>
EXC	document texte
EXC	<i>QEMM Exclude file for Optimize (do not process)</i>
EXC	<i>VM/CMS Rexx source code file</i>
EXE	<i>DOS Directly executable program</i> (fichier exécutable)
EXM	<i>MSDOS executable, system-manager compliant (HP calculator)</i>
EXS	<i>Logic EXS24 instruments</i>
EXT	<i>Norton Commander Extension file</i>
EXV	
EXX	<i>IBM LinkWay Intermediate file by MsgPut</i>
EX_	fichier EXE compressé avec la commande COMPRESS de Windows
EZF	<i>Calculus EZ-Fax Fax</i>
F	<i>compressed file archive created by FREEZE</i>
F	<i>Fortran source code file</i>
F01	<i>Perfectfax Fax</i>
F06	<i>Dos screen text font (height 6 pixels)</i>
F07	<i>Dos screen text font (height 7 pixels)</i>
F08	<i>Dos screen text font (height 8 pixels)</i>
F09	<i>Dos screen text font (height 9 pixels)</i>
F10	<i>Dos screen text font (height 10 pixels)</i>
F11	<i>Dos screen text font (height 11 pixels)</i>
F12	<i>Dos screen text font (height 12 pixels)</i>
F13	<i>Dos screen text font (height 13 pixels)</i>
F14	<i>Dos screen text font (height 14 pixels)</i>
F16	<i>Dos screen text font (height 16 pixels)</i>
F2R	<i>Farandoye linear module (music)</i>
F32	<i>Floating point raw 32-bit IEEE data</i>
F3R	<i>Farandoye blocked linear module (music)</i>
F64	<i>Floating point raw 64-bit IEEE data</i>
F77	<i>Fortran 77 source code file</i>
F96	<i>Frecom FAX96 Fax</i>
FAC	<i>Face graphics</i>
FAC	<i>Usenix FaceServer file</i>
FACE	<i>Usenix FaceServer file</i>
FAN	<i>Finale Font Annotation file</i>
FAQ	<i>Frequently Asked Questions text file</i>
FAR	<i>Farandoye Composer module (music)</i>
FAX	<i>Fax Group 3 file</i>
FBK	<i>Formula Graphics Multimedia System backup file</i>
FBM	<i>Fuzzy BitMap file</i>
FC	<i>Harvard Graphics 2.0 Spell checking dictionary</i>
FCA	
FCM	<i>Binary file patch file (forward compression)</i>

Extensions

FD	<i>DataFlex Field offsets for compiler</i>
FD	<i>MicroSoft Fortran Declaration file</i>
PDF	<i>Adobe Acrobat forms document</i>
FDW	<i>F3 Design and Mapping Form</i>
FDX	<i>Force Index</i>
FEB	<i>WordPerfect Button bar for Figure Editor</i>
FF	<i>Agfa Compugraphics Outline font description</i>
FFA	
FFF	<i>defFax Fax</i>
FFF	<i>Gravis UltraSound PnP bank file</i>
FFL	
FFT	<i>DisplayWrite Dca/FFT Final Form Text text file</i>
FFX	
FGH	<i>Formula Graphics Multimedia System text file</i>
FGV	<i>Formula Graphics Multimedia System binary project</i>
FGX	<i>Formula Graphics Multimedia System text project</i>
FH3	<i>Aldus FreeHand 3.x Vector graphics (image vectorielle d'Aldus Freehand)</i>
FH4	<i>Aldus FreeHand 4.x Vector graphics</i>
FH8	<i>image vectorielle d'Aldus Freehand</i>
FI	<i>MicroSoft Fortran Interface file</i>
FIF	<i>Fractal Image Format file (image avec compression fractale)</i>
FIL	<i>Application Generator File template</i>
FIL	<i>dBASE Application Generator Files list object file</i>
FIL	<i>WordPerfect Overlay</i>
FIN	<i>Print-formatted text file (Perfect Writer, Scribble, MINCE)</i>
FIT	<i>Flexible Image Transport System file</i>
FIT	<i>WindowsNT File Index Table</i>
FITS	<i>Flexible Image Transport System file</i>
FIX	<i>Patch file</i>
FKY	<i>FoxPro Macro file</i>
FLA	<i>Flash animation</i>
FLAC	<i>Free Lossless Audio Codec compressed audio file</i>
FLB	<i>Papyrus Format library</i>
FLC	<i>Autodesk Animator Animation file</i>
FLD	<i>Charisma Folder</i>
FLD	<i>Hijaak Thumbnail folder</i>
FLI	<i>Autodesk Animator Flick file</i>
FLI	<i>EmTeX Tex font library</i>
FLM	<i>AutoCAD/AutoShade Film Roll</i>
FLO	<i>Micrografx FlowCharter</i>
FLR	<i>Live3D file</i>
FLT	<i>Asymetrix ToolBook Support file</i>
FLT	<i>Micrografx Picture Publisher Filter file (fichier de filtres de conversion d'images)</i>
FLT	<i>MultGen Inc.'s OpenFlight file</i>
FLV	<i>video file (fichier vidéo)</i>
FLX	<i>DataFlex Compiled binary file</i>
FM	<i>FileMaker Pro Spreadsheet</i>
FM1	<i>Lotus 1-2-3 release 2.x Spreadsheet</i>
FM3	<i>Harvard Graphics 3.0 Device driver</i>
FM3	<i>Lotus 1-2-3 release 3.x Spreadsheet</i>
FMB	<i>WordPerfect File Manager Button bar</i>
FMF	<i>IBM LinkWay Font or icon file</i>
FMK	<i>Fortran PowerStation Makefile</i>
FMO	<i>dBASE IV compiled format file</i>
FMT	<i>Format file (dBASE IV, FoxPro, Clipper 5, dBFast)</i>
FMT	<i>Lotus 123 version 2.x file</i>
FMT	<i>Sprint Style sheet</i>
FN3	<i>Harvard Graphics 3.0 Font file</i>
FND	<i>enregistrement de résultats de recherche</i>
FNK	<i>FunkTracker module</i>
FNT	<i>Font file</i>
FNX	<i>Exact Inactive font</i>
FNX	<i>fichier de notes MultiMate</i>
FO1	<i>Borland Turbo C Font file</i>
FO2	<i>Borland Turbo C Font file</i>
FOG	<i>Fontographer font</i>
FOL	<i>1st Reader Folder of saved messages</i>

Extensions

FON	<i>Font file (fichier de police)</i>
FON	<i>Procomm Plus Log of all calls</i>
FON	<i>Telix Dialing directory file</i>
FOR	<i>Fortran source code file (fichier source Fortran)</i>
FOR	<i>fichier formulaire PC Tools</i>
FOR	<i>WindowBase Form</i>
FOT	<i>Windows Font Installer Installed Truetype font (fonte vectorielle TrueType)</i>
FOX	<i>FoxBase file</i>
FP	<i>Claris FileMaker Pro file</i>
FP	<i>FoxPro Configuration file</i>
FP1	<i>Flying Pigs file</i>
FP3	<i>Filemaker Pro 3 file</i>
FPC	<i>FoxPro Catalog</i>
FPG	<i>DIV Game Studio Multi Map file</i>
FPT	<i>FoxPro Memo</i>
FPW	<i>FloorPlan plus drawing</i>
FPX	<i>FlashPix bitmap file</i>
FPX	<i>MicroSoft Digital Image document</i>
FR	
FR3	<i>dBASE IV Renamed dBASE III+ form file</i>
FRA	
FRE	
FRF	<i>FontMonger Font</i>
FRG	<i>dBASE IV Uncompiled report file</i>
FRM	<i>Report file (dBASE IV, Clipper 5, dBFast)</i>
FRM	<i>Text (order form)</i>
FRM	<i>Visual Basic Form (formulaire Visual Basic)</i>
FRO	<i>dBASE IV compiled report file</i>
FRP	<i>Form (PerForm PRO Plus, FormFlow)</i>
FRS	<i>WordPerfect Screen Font Resource</i>
FRT	<i>FoxPro Report memo</i>
FRX	<i>FoxPro Report</i>
FSB	<i>FMOD SoundSystem sound bank</i>
FSH	<i>EA Sports FSH format</i>
FSL	<i>Paradox Form (fichier de définition de formulaire du logiciel Paradox)</i>
FSM	<i>Farandoye sample</i>
FST	<i>dBFast Linkable program</i>
FSX	<i>Lotus 1-2-3 Data</i>
FTG	<i>Microsoft WinHelp full-text search group file</i>
FTM	<i>Finale template file</i>
FTM	<i>Micrografx Font file</i>
FTP	<i>FTP Software PC/TCP Configuration file</i>
FTS	<i>Flexible Image Transport System file</i>
FTS	<i>Microsoft WinHelp full-text search index file</i>
FUL	<i>fichier catalogue de sauvegarde complète MicroSoft-Backup</i>
FW	<i>FrameWork Database</i>
FW2	<i>Framework II Database</i>
FW3	<i>Framework III Database</i>
FX	<i>FastLynx On-line guide</i>
FX3	<i>Fugawi Map file</i>
FXB	<i>VST plugin presets bank file</i>
FXD	<i>FAXit Phonebook</i>
FXD	<i>WinFax file</i>
FXM	<i>WinFax file</i>
FXO	<i>WinFax file</i>
FXP	<i>FoxPro compiled format</i>
FXP	<i>VST plugin preset file</i>
FXR	<i>WinFax file</i>
FXS	<i>WinFax Fax Transmit Format graphics</i>
FZB	<i>Casio FZ-1 bank dump</i>
FZF	<i>Casio FZ-1 full dump</i>
FZV	<i>Casio FZ-1 voice dump</i>
G	<i>Applause Data chart</i>
G3	<i>Fax Group 3 file</i>
G3N	<i>Imaging Fax file</i>
G4	<i>Access file</i>
G4	<i>GTX RasterCAD file</i>

Extensions

G721	<i>G.721 4-bit (32 kbps) ADPCM format data</i>
G723	<i>G.723 3/5-bit ADPCM format data</i>
G723-3	<i>G.723 3-bit (24 kbps) ADPCM format data</i>
G723-5	<i>G.723 5-bit (40 kbps) ADPCM format data</i>
G726	<i>G.726 2/3/4/5-bit ADPCM format data</i>
G726-2	<i>G.726 2-bit (16 kbps) ADPCM format data</i>
G726-3	<i>G.726 3-bit (24 kbps) ADPCM format data</i>
G726-4	<i>G.726 4-bit (32 kbps) ADPCM format data</i>
G726-5	<i>G.726 5-bit (40 kbps) ADPCM format data</i>
G8	<i>PicLab Raw graphics (one byte per pixel) plane three</i>
GADGET	<i>Windows gadget (gadget Windows)</i>
GAM	<i>GammaFax Fax</i>
GB	<i>Printfox/Pagefox file</i>
GBL	<i>VAXTPU editor Global definitions</i>
GBR	<i>Gimp brushes</i>
GC1	<i>Golden Common Lisp 1.1 Lisp source code</i>
GC3	<i>Golden Common Lisp 3.1 Lisp source code</i>
GCA	<i>archive</i>
GCA	<i>GOCA graphics</i>
GCD	<i>Graphics</i>
GCS	<i>GCStar file</i>
GCSX	<i>variation de couleur de graphique SmartArt MicroSoft Office</i>
GD	<i>GDLib image format</i>
GD2	<i>GDLib image format</i>
GDF	<i>GEOS Dictionary file</i>
GDM	<i>Bells, Whistles, Sound Boards module</i>
GDM	<i>General Digital Music file</i>
GED	<i>Arts & Letters Editor's native file format</i>
GED	<i>EnerGraphics Graphics editor file</i>
GED	<i>Gedcom file</i>
GEM	<i>Digital Research Graphic Environment Manager Paint raster file</i>
GEM	<i>Ventura Publisher Vector graphics</i>
GEN	<i>dBASE Application Generator compiled template</i>
GEN	<i>Ventura Publisher Generated text</i>
GEO	<i>GeoPaint file</i>
GEO	<i>Geoworks Geode</i>
GEO	<i>VideoScope file</i>
GER	
GFB	<i>compressed GIF image created by GIFBLAST</i>
GFT	<i>NeoPaint Font</i>
GG	<i>Koala Paint compressed file</i>
GGR	<i>Gimp gradients</i>
G!	<i>GigaStudio/GigaSampler file</i>
GIB	<i>Graph-in-the-Box Chart</i>
GID	<i>Microsoft WinHelp index file</i>
GIF	<i>Compuserve Graphics Interchange Format (image)</i>
GIFF	<i>Compuserve Graphics Interchange Format</i>
GIG	<i>GigaStudio/GigaSampler file (compressed or normal sampler patch)</i>
GIW	<i>Graph-in-the-Box Presentation</i>
GJM	<i>audio file</i>
GJS	<i>audio file</i>
GKH	<i>Ensoniq EPS family disk image file</i>
GL	<i>GRASP (GRAphical System for Presentation) animation file</i>
GL2	<i>HPGL-2 file</i>
GLM	<i>Glim Datafile</i>
GLO	<i>Microsoft Word Glossary</i>
GLOX	<i>disposition de graphique SmartArt MicroSoft Office</i>
GLS	<i>Across Datafile</i>
GLSLESF	
GLSLESV	
GLY	<i>Microsoft Word Glossary</i>
GMF	<i>Applause CGM graphics</i>
GMMP	<i>profil de mappage de gamme de couleurs WCS</i>
GMP	<i>SPX Geomorph tile map</i>
GOC	<i>Geoworks Goc source code file</i>
GOH	<i>Geoworks Goc header file</i>
GP	<i>Geoworks Glue Geode parameter file</i>

Extensions

GP3	<i>CCITT compressed Group 3 TIFF file</i>
GP3	<i>tablature Guitar Pro 3</i>
GP4	<i>Cals raster file</i>
GP4	<i>Group 4 - CALS, ITU file</i>
GP4	<i>tablature Guitar Pro 4</i>
GPB	<i>GranuLab patch bank</i>
GPG	<i>OpenPGP Key Bundle</i>
GPH	<i>Lotus 1-2-3/G Graph</i>
GPK	<i>Omnigo program package</i>
GPL	<i>Gimp palette</i>
GQSX	<i>style rapide de graphique SmartArt MicroSoft Office</i>
GR2	<i>Windows 3.x Screen driver</i>
GRA	<i>MicroSoft Graph 2000 graphic (graphique Microsoft Graph)</i>
GRA	<i>SigmaPlot Datafile</i>
GRAF	<i>Digital F/X file</i>
GRB	<i>HP-48/49 Grob file</i>
GRB	<i>MS-DOS 5 Shell Monitor file</i>
GRD	
GREY	<i>raw file</i>
GRF	<i>Graph file (Graph Plus, Charisma)</i>
GRF	<i>MicroGrafx file</i>
GRO	<i>HP-48/49 Grob file</i>
GROUP	<i>fichier groupe Contacts Windows</i>
GRP	<i>Object Oriented Graphics Library file</i>
GRP	<i>Papyrus Group file</i>
GRP	<i>PixBase Pictures group</i>
GRP	<i>Windows 3.x Group file (fichier de groupes de programmes pour le gestionnaire de programmes de Microsoft Windows)</i>
GRV	<i>Massiva groove patch file</i>
GRY	<i>raw GREY graphics file</i>
GS1	<i>GraphShow Presentation</i>
GSD	<i>Professional Draw Vector graphics</i>
GSM	<i>Raw (byte aligned) GSM 06.10 audio stream</i>
GSM	<i>US Robotics voice modems GSM w./w.o. header (QuickLink, VoiceGuide, RapidComm)</i>
GSW	<i>GraphShow Worksheet</i>
GTP	<i>Guitar Pro file (fichier Guitar Pro)</i>
GUP	<i>PopMail Data</i>
GX1	<i>Show Partner graphics</i>
GX2	<i>Show Partner graphics</i>
GXL	<i>Genus Graphics library</i>
GZ	<i>compressed file archive created by GZIP (GNU zip)</i>
GZA	<i>archive</i>
GZIP	<i>Gzip archive file</i>
H	<i>C Header file (fichier de définition pour un programme écrit en langage C)</i>
H!	<i>Flambeaux Help! Display Engine On-line help file</i>
H++	<i>C++ Header file</i>
H--	<i>Sphinx C-- Header file</i>
H1D	<i>fichier de validation d'aide MicroSoft</i>
H1F	<i>fichier d'inclusion d'aide MicroSoft</i>
H1H	<i>hiérarchie fusionnée d'aide MicroSoft</i>
H1K	<i>fichier d'index d'aide MicroSoft</i>
H1Q	<i>index de requêtes fusionnées d'aide MicroSoft</i>
H1S	<i>fichier compilé d'aide MicroSoft</i>
H1T	<i>fichier de table des matières d'aide MicroSoft</i>
H1V	<i>fichier de définition de rubriques virtuelles d'aide MicroSoft</i>
H1W	<i>index de mots clés fusionnés d'aide MicroSoft</i>
H263	<i>fichier vidéo compressé</i>
HA	<i>compressed file archive created by HA</i>
HAP	<i>compressed file archive created by HAP</i>
HASH	
HBK	<i>Mathcad Handbook</i>
HCOM	<i>Sound Tools HCOM format</i>
HDF	<i>Help Development Kit Help file</i>
HDF	<i>SDSC Image Tools Hierarchical Data File graphics</i>
HDL	<i>Procomm Plus Alternate download file listing</i>
HDR	<i>Apollo HRDU file</i>
HDR	<i>Egret Datafile</i>

Extensions

HDR	<i>High Dynamic Range image file</i>
HDR	<i>Message header text (Procomm Plus, 1st Reader)</i>
HDR	<i>MultitrackStudio project file</i>
HDR	<i>Pc-File+ Database header</i>
HDRI	<i>High Dynamic Range image file</i>
HDRU	<i>Apollo HRDU file</i>
HDRVERSION	<i>MultitrackStudio song version file</i>
HDW	<i>Harvard Draw Vector graphics</i>
HDX	<i>Help index (AutoCAD, Zortech C++)</i>
HED	<i>HighEdit document</i>
HEL	<i>Microsoft Hellbender game file</i>
HELPCFG	
HEX	<i>Hex dump</i>
HF	
HF1	<i>GEM Hp Font Info file</i>
HFP	
HGL	<i>Hewlett-Packard Graphic Language-2 file (fichier d'impression en langage graphique HP)</i>
HH	<i>C++ header file</i>
HH	<i>HammerHead pattern</i>
HHC	<i>MicroSoft HTML Help Contents</i>
HHH	<i>Power C Precompiled header file</i>
HHK	<i>MicroSoft HTML Help index</i>
HHP	<i>MicroSoft HTML Help Project</i>
HHP	<i>Procomm Plus Help information for remote users</i>
HIN	<i>HyperChem Molecule</i>
HIR	<i>Hires C64 file</i>
HLB	<i>VAX Help library</i>
HLP	<i>Help file (fichier d'aide)</i>
HM	<i>MicroSoft WinHelp map file</i>
HMM	<i>Procomm Plus Alternate Mail Read option menu</i>
HMP	<i>HelpMatic project file</i>
HNC	<i>CNC program files dialog</i>
HOF	<i>Hall Of Fame game scores</i>
HP	<i>Hewlett-Packard Graphic Language-2 file (fichier d'impression en langage graphique HP)</i>
HP8	<i>NewWave Write ASCII text HP Roman8 character set</i>
HPA	<i>Hot Stepper pattern file</i>
HPF	<i>PageMaker Hp LaserJet fonts</i>
HPG	<i>Hewlett-Packard Graphic Language-2 file (fichier d'impression en langage graphique HP)</i>
HPGL	<i>Hewlett-Packard Graphic Language-2 file (fichier d'impression en langage graphique HP)</i>
HPGL2	<i>Hewlett-Packard Graphic Language-2 file (fichier d'impression en langage graphique HP)</i>
HPI	<i>GEM Font information file</i>
HPJ	<i>MicroSoft Help Compiler Help project file</i>
HPK	<i>compressed file archive created by HPAK</i>
HPL	<i>HP Graphics</i>
HPM	<i>HP NewWave Emm text</i>
HPM	<i>Procomm Plus Alternate Main menu for privileged users</i>
HPP	<i>Zortech C++ header file</i>
HQX	<i>compressed Macintosh ASCII archive created by BINHEX</i>
HR	<i>TRS80 file</i>
HRF	<i>Hitachi Raster Format Graphics</i>
HRM	<i>Procomm Plus Alternate Main menu for limited/normal users</i>
HRU	
HRZ	<i>Slow Scan Television file</i>
HS2	<i>Postering Monochrome image</i>
HSI	<i>Handmade Software Inc. graphics</i>
HSP	
HST	<i>Procomm Plus History file</i>
HT	<i>HyperTerminal file</i>
HTA	<i>Hyper Text Markup Language Application</i>
HTC	
HTM	<i>Hyper Text Markup Language file</i>
HTML	<i>Hyper Text Markup Language file</i>
HTT	<i>Hyper Text template</i>
HTX	<i>Hypertext file</i>
HTZ	<i>Hyper Text Markup Language file</i>
HUB	<i>HammerHead userbank</i>
HWD	<i>Hollywood Presentation</i>

Extensions

HWP	<i>Hangul Word Processor file</i>
HWP	<i>texte Open Office</i>
HXA	<i>MicroSoft Help Attribute Definition File</i>
HXC	<i>MicroSoft Help Collection Definition File</i>
HXD	<i>MicroSoft Help Validator File</i>
HXE	<i>MicroSoft Help Samples Definition File</i>
HXF	<i>MicroSoft Help Include File</i>
HXH	<i>MicroSoft Help Merged Hierarchy File</i>
HXI	<i>MicroSoft Help Compiled Index File</i>
HXK	<i>MicroSoft Help Index File</i>
HXM	<i>Procomm Plus Alternate Protocol Selection menu for all users</i>
HXQ	<i>MicroSoft Help Merged Query Index File</i>
HXR	<i>MicroSoft Help Merged Attribute Index File</i>
HXS	<i>MicroSoft Help Compiled Storage File (fichier d'aide HTML compilé, version 2)</i>
HXT	<i>MicroSoft Help Table of Contents File</i>
HXV	<i>MicroSoft Help Virtual Topic Definition File</i>
HXW	<i>MicroSoft Help Attribute Definition File</i>
HXX	<i>C++ header file</i>
HY1	<i>Ventura Publisher Hyphenation algorithms</i>
HY2	<i>Ventura Publisher Hyphenation algorithms</i>
HYC	<i>WordPerfect Data</i>
HYD	<i>WordPerfect Hyphenation dictionary</i>
HYP	<i>compressed file archive created by HYPER</i>
I	<i>Borland C++ 4.5 Intermediate file</i>
IAD	<i>BackWeb Channel registration file</i>
IAX	<i>IBM Image Access eXecutive Bitmap graphics</i>
IBK	<i>Creative Labs FM bank</i>
IBM	<i>compressed file archive created by ARCHDOS</i>
IBT	
IC	
ICA	<i>Image Object Content Architecture Bitmap graphics</i>
ICB	<i>Image Capture Board (Bitmap graphics)</i>
ICB	<i>TrueVision Targa file</i>
ICC	<i>International Color Consortium profile</i>
ICC	<i>Kodak YCC image file</i>
ICL	<i>Icon Library</i>
ICM	<i>Image Colour Matching file</i>
ICM	<i>International Color Consortium profile</i>
ICN	<i>Icon source code file</i>
ICNS	<i>Mac icon file</i>
ICO	<i>Gimp icon</i>
ICO	<i>MicroSoft Windows icon file</i>
ICO	<i>Sun icon</i>
ICON	<i>Sun icon and cursor</i>
ICS	<i>iCalendar file</i>
ICS	<i>Image Cytometry Standard file</i>
ICXS	
ID	<i>Disk identification file</i>
IDD	<i>Instrument Definition (MIDI file)</i>
IDE	<i>Borland C++ 4.5 Project</i>
IDF	<i>Instrument Definition (MIDI file)</i>
IDS	
IDT	
IDW	<i>IntelliDraw Vector graphics</i>
IDX	<i>index file (index de bases de données)</i>
IFD	<i>JetForm Design Form</i>
IFF	<i>Amiga Interchange File Format bitmap graphics/sound</i>
IFF	<i>Deluxe Paint Interchange Format file</i>
IFF	<i>Explore (TDI) & Maya file</i>
IFF	<i>Sun TAAC Image File</i>
IFP	<i>KnowledgeMan Script</i>
IFS	<i>OS/2 System file</i>
IFS	<i>Yuvpak Fractal image compressed file</i>
IGF	<i>Hijaak Inset Systems graphics</i>
IIF	<i>QuickBooks Interchange File</i>
III	<i>Compatible Intel IPhone</i>
IIM	<i>Inshape file</i>

Extensions

IL	<i>Icon Library</i>
ILB	<i>Scream Tracker Data</i>
ILBM	<i>Deluxe Paint Electronic Arts file</i>
ILG	
ILK	<i>MicroSoft ILink incremental linker Outline of program's format</i>
ILL	<i>Image Illustrée file (fichier Image Illustrée)</i>
IM	<i>AIM Grey Scale file</i>
IM5	<i>Visilog file</i>
IM8	<i>Sun raster graphics</i>
IMA	<i>AIM Grey Scale file</i>
IMA	<i>Mirage vector graphics (EGO, Chart, Autumn)</i>
IMA	<i>Winimage compressed format</i>
IMF	<i>id Software Music Format (560 Hz)</i>
IMF	<i>Imago Orpheus file</i>
IMG	<i>Adex file</i>
IMG	<i>archive</i>
IMG	<i>Autocad CAD-Camera file</i>
IMG	<i>copie binaire d'un CD ou DVD sous MAC OS X</i>
IMG	<i>Datacopy file</i>
IMG	<i>Digital Research GEM Paint raster format file</i>
IMG	<i>Img Software Set file</i>
IMG	<i>MicroTek Eyestar file</i>
IMG	<i>Planetary Data System file</i>
IMG	<i>Radiance file</i>
IMG	<i>Raster file</i>
IMG	<i>Sharp GPB file</i>
IMG	<i>Starbase file</i>
IMG	<i>Ventura Publisher Bitmap graphics (fichier graphique Ventura Publisher)</i>
IMG	<i>Vicar file</i>
IMG	<i>Video Image Communication and Retrieval file</i>
IMG	<i>Vivid Ray-Tracer file</i>
IMP	<i>Lotus Improv Spreadsheet</i>
IMQ	<i>ImageQ Image presentation</i>
IMT	<i>IMNet Image</i>
IMY	<i>iMelody mobile phone ring-tone</i>
IN\$	<i>HP NewWave Installation file</i>
IN3	<i>Harvard Graphics 3.0 Input device driver</i>
INB	<i>Vermont HighTest Test script</i>
INC	<i>C++ source file</i>
INC	<i>fichier catalogue de sauvegarde incrémentielle MicroSoft Backup</i>
INC	<i>POV-Ray script</i>
INC	<i>programming languages Include file (fichier à inclure dans un autre fichier)</i>
IND	<i>dBASE IV Index</i>
INF	<i>ASCII Information text file</i>
INF	<i>Install script (fichier de description d'un périphérique intégrant le script d'installation)</i>
INF	<i>Type 1 LaserJet font information file</i>
INI	<i>Gravis UltraSound.ini bank setup</i>
INI	<i>IBM MWave DSP synthesizer bank setup</i>
INI	<i>Initialisation file (paramètres de configuration)</i>
INK	<i>CorelDraw Pantone reference fills file</i>
INRS	<i>INRS-Telecommunications audio file</i>
INS	<i>1st Reader Installation script</i>
INS	<i>AdLib Instrument music file</i>
INS	<i>Cakewalk's instrument definition file</i>
INS	<i>Ensoniq EPS family instrument file</i>
INS	<i>InterNet Communication settings</i>
INS	<i>MIDI-OX Sample Instrument definition file</i>
INS	<i>Sample Cell II Mac/PC instruments</i>
INS	<i>WordPerfect Data</i>
INST	<i>Object Oriented Graphics Library file</i>
INT	<i>Borland Interface Units</i>
INT	<i>Signature Program saved in Internal (semi-compiled) format</i>
INT	<i>Silicon Graphics RGB file</i>
INTA	<i>Silicon Graphics RGB file</i>
INX	<i>Foxbase Index</i>
IO	<i>compressed file archive created by CPIO</i>
IOB	<i>3d graphics database in TDDD format</i>

Extensions

IOB	<i>Imagine file</i>
IOC	<i>Instant ORGcharting! Organizational chart</i>
IOCA	
ION	<i>4dos description file</i>
IPL	<i>CorelDraw Pantone Spot reference palette file</i>
IPL	<i>IPLab file</i>
IPP	<i>OmniPage Preprocess Template</i>
IQY	<i>Microsoft Office Excel Web Query File</i>
IRIS	<i>Silicon Graphics RGB image file</i>
IRS	<i>WordPerfect Resource</i>
ISD	<i>RapidFile Spelling Checker dictionary</i>
ISD	<i>Time & Chaos file</i>
ISH	<i>compressed file archive created by ISH</i>
ISH	<i>Image Speeder file</i>
ISN	
ISO	<i>ISO-9660 table (image disque à la norme internationale ISO 9660)</i>
ISP	<i>InterNet Communication settings</i>
ISR	
IST	<i>Digitrakker instruments</i>
ISU	<i>Netscape file</i>
IT	<i>Amiga Soundtracker audio file</i>
IT	<i>Impulse Tracker module</i>
IT	<i>Intalk Settings</i>
IT	<i>MOD music file format</i>
ITF	<i>JPI TopSpeed Pascal Interface file</i>
ITG	<i>InterGraph format file</i>
ITI	<i>Impulse Tracker instruments</i>
ITS	<i>Impulse Tracker sample</i>
ITS	<i>InterNet document set</i>
ITSS	<i>MicroSoft Infotech Storage System File</i>
IVB	<i>TrueVision Targa file</i>
IVF	<i>Intel video file</i>
IVT	<i>Ivation Datasystems file</i>
IW	<i>Idlewild screensaver</i>
IW	<i>Presentation flowchart (IconAuthor, HSC InterActive)</i>
IW4	
IW44	
IWA	<i>IBM Writing Assistant Text file</i>
IWP	<i>Wang Text file</i>
IX	<i>Framemaker Index File</i>
IZE	<i>archive</i>
IZT	<i>IZL binary token file</i>
J	<i>Joint Photographic Experts Group file (image)</i>
J2B	<i>Jazz Jackrabbit 2 music</i>
J2K	<i>Joint Photographic Experts Group 2000 file (image)</i>
J6I	<i>Ricoh Digital Camera file</i>
JAR	<i>executable Jar file (archive)</i>
JAS	<i>Graphics</i>
JAV	<i>Java source code file</i>
JAVA	<i>Java source code file</i>
JBD	<i>SigmaScan Datafile</i>
JBF	<i>Paint Shop Pro Browser cache file</i>
JBG	<i>Joint Bi-Level Image Experts Group file</i>
JBIG	<i>Joint Bi-Level Image Experts Group file</i>
JBR	<i>Paint Shop Pro Brush file</i>
JBX	<i>Project Scheduler 4 Project file</i>
JCF	
JET	<i>Hybrid JetFax Fax</i>
JFF	<i>Joint Photographic Experts Group File Interchange Format Bitmap graphics</i>
JFI	<i>Joint Photographic Experts Group file</i>
JFIF	<i>Joint Photographic Experts Group file (image)</i>
JIF	<i>Jeff's Image Format file</i>
JIF	<i>Joint Photographic Experts Group file</i>
JIFF	<i>Joint Photographic Experts Group file</i>
JJ	<i>Doodle C64 compressed file</i>
JKM	
JNG	<i>Multiple Network Graphics file</i>

Extensions

JNLP	<i>Java file</i>
JNT	<i>Windows journal</i>
JOB	<i>Task Scheduler Task Object (objet Tâche du Planificateur de tâches)</i>
JOD	<i>MicroSoft Jet OLEDB 4.0</i>
JOR	<i>SQL Journal file</i>
JOU	<i>VAX Edt editor Journal backup</i>
JP	
JP2	<i>Joint Photographic Experts Group 2000 file (image)</i>
JPC	<i>Japan PIC Graphics</i>
JPC	<i>Joint Photographic Experts Group 2000 code stream file</i>
JPE	<i>Joint Photographic Experts Group file (image)</i>
JPEG	<i>Joint Photographic Experts Group file (image)</i>
JPF	<i>Joint Photographic Experts Group 2000 file (image)</i>
JPG	<i>Joint Photographic Experts Group file (image)</i>
JPM	
JPX	<i>Joint Photographic Experts Group 2000 file (image)</i>
JS	<i>JScript script file (fichier de script JScript)</i>
JSA	
JSB	
JSD	
JSE	<i>fichier de script codé JScript</i>
JSH	
JSL	<i>Paint Shop Pro file</i>
JSM	
JSON	
JSS	
JSX	
JT	<i>JT Fax</i>
JTD	<i>texte Open Office</i>
JTF	<i>Hayes JTFax file</i>
JTF	<i>Joint Photographic Experts Group Tagged Interchange Format Bitmap graphics</i>
JTT	<i>texte Open Office</i>
JTX	<i>XPS document</i>
JVT	<i>Join Video Team file</i>
JW	<i>JustWrite Text document</i>
JWL	<i>JustWrite Library</i>
JZZ	<i>Jazz Spreadsheet</i>
K25	<i>Kodak DC25 Camera file</i>
K25	<i>Kurzweil K2500 file</i>
K26	<i>Kurzweil K2600 file</i>
KAR	<i>Musical Instrument Digital Interface file with karaoke word track</i>
KAWAI12	<i>KAWAI R50/R50E/R50III/R100 ROM-dump</i>
KB	<i>Borland C++ 4.5 Keyboard script</i>
KB	<i>Knowledge Pro Program source</i>
KBD	<i>Keyboard mapping (LocoScript, Signature, Procomm Plus)</i>
KBM	<i>Reflection 4.0 Keyboard mapping</i>
KCFG	
KCL	<i>Kyoto Common Lisp source code</i>
KCSRC	<i>KDE color theme</i>
KDC	<i>Kodak DC120 Digital Camera file</i>
KDC	<i>Kodak Photo-Enhancer file</i>
KDC	<i>Kodak raw image file</i>
KEX	<i>KEDIT Macro</i>
KEY	<i>Forecast Pro Datafile</i>
KEY	<i>Keyboard macros</i>
KEY	<i>Programmer's File Editor Keymap file</i>
KEY	<i>Security file (eg. Shareware Registration info)</i>
KEYTAB	
KFT	<i>Korg T-series waves</i>
KFX	<i>KoFax Group 4 file</i>
KGM	
KIT	<i>LunchBox Battles drumkit</i>
KIT	<i>Native Instruments Batter v1 drum-kit file</i>
KKSRC	
KMA	<i>TavulteSoft KeyMan add-in files</i>
KML	
KMP	<i>Korg M3Trinity/Triton keymap file</i>

Extensions

KMP	<i>TavulteSoft KeyMan package file</i>
KMX	<i>TavulteSoft KeyMan keyboard file</i>
KOA	<i>Koala Paint file</i>
KPM	<i>KPovModeler file</i>
KPP	<i>SmartPad Toolpad</i>
KPS	<i>IBM KIPS bitmap graphics</i>
KQP	<i>Konica Camera file</i>
KR1	<i>Kurzweil K2000/K2500/K2600 split file</i>
KRISTAL	<i>Kristal Audio Engine project</i>
KRZ	<i>Kurzweil K2000/K2500/K2600 file</i>
KSC	<i>Korg M3Trinity/Triton script file</i>
KSF	<i>Korg M3/Trinity/Triton sample file</i>
KVK	<i>TavulteSoft KeyMan Visual Keyboard files</i>
KVTML	
KWK	<i>KwikDraw file</i>
KYB	<i>FTP Software PC/TCP Keyboard mapping</i>
KYS	<i>Adobe Premiere Elements keyboard shortcut</i>
L	<i>Lex source code file</i>
L	<i>Lisp source code file</i>
L	<i>WATCOM wlink Linker directive file</i>
LAB	<i>Datafile (NCSS, SOLO)</i>
LAB	<i>Labels file</i>
LAB	<i>Q+E for MicroSoft Excel Mailing labels</i>
LABEL	<i>property list</i>
LAY	<i>Applause Word chart layout</i>
LAYOUT	<i>Adobe Premiere Elements layout</i>
LBG	<i>dBASE IV Label generator data</i>
LBI	
LBL	<i>Label (dBASE IV, Clipper 5, dBFast)</i>
LBM	<i>Amiga Interchange Format file</i>
LBM	<i>Deluxe Paint Interchange Format file</i>
LBM	<i>XLib Linear bitmap graphics</i>
LBO	<i>dBASE IV compiled label</i>
LBR	<i>compressed file archive created by LU</i>
LBR	<i>Lotus 1-2-3 Display driver</i>
LBT	<i>FoxPro Label memo</i>
LBX	<i>FoxPro Label</i>
LCF	<i>Norton Guides compiler Linker Control File</i>
LCK	<i>Paradox Lockfile</i>
LCL	<i>FTP Software PC/TCP Data</i>
LCN	<i>WordPerfect Lection</i>
LCS	<i>ACT! History Files Datafile</i>
LCW	<i>Lucid 3-D Spreadsheet</i>
LD	<i>Telix Long Distance codes file</i>
LD1	<i>dBASE Overlay file</i>
LDA	<i>LaserData file</i>
LDB	<i>MicroSoft Access database file</i>
LDF	<i>Geoworks Glue Library definition file</i>
LDF	<i>LuraDocument Format file</i>
LEG	<i>Legacy document</i>
LES	<i>Lesson (fichier de données des leçons de didacticiel pour MicroSoft Windows)</i>
LEV	<i>NetHack 3.x Level file</i>
LEX	<i>Lexicon (lexique)</i>
LFF	<i>LucasFilm Format file</i>
LFF	<i>Prisms file</i>
LFT	<i>ChiWriter Laser printer font</i>
LG	<i>LSRHS Logo procedure definitions</i>
LGC	<i>journal d'utilisation des programmes pour optimiser la défragmentation du disque dur</i>
LGO	<i>SuperFax Logo for header and footer</i>
LGO	<i>Windows 3.x Startup logo code</i>
LHA	<i>compressed file archive created by LHA/LHARC (fichier archive compressé)</i>
LHS	<i>Literate Haskell source file</i>
LHW	<i>compressed Amiga file archive created by LHWARP</i>
LHZ	<i>LHA compression file</i>
LIB	<i>archive</i>
LIB	<i>programming languages Library file (bibliothèque de données pour langages de programmation)</i>

Extensions

LIB	<i>Voice library</i>
LIC	<i>shareware License file</i>
LIF	<i>compressed file archive</i>
LIF	<i>Hewlett-Packard Logical Interchange Format data file</i>
LIM	<i>compressed file archive created by LIMIT</i>
LIN	<i>AutoCAD Line types</i>
LIS	<i>VAX Listing</i>
LIST	<i>Object Oriented Graphics Library file</i>
LJ	<i>Text file for HP LJ II printer</i>
LL3	<i>Laplink III related file</i>
LML	<i>MultitrackStudio songlist file</i>
LNK	<i>Linker response file (fichier de travail de l'éditeur de liens)</i>
LNK	<i>Link file (raccourci)</i>
LOD	<i>Load file</i>
LOG	<i>fichier archives DOS</i>
LOG	<i>Log file (fichier rapport)</i>
LOG	<i>Logo file (fichier source en langage Logo)</i>
LOGO	
LPC	<i>TEKO Printer driver</i>
LRF	<i>MicroSoft C/C++ Linker response file</i>
LRS	<i>WordPerfect Language Resource File</i>
LSE	<i>LSE file (fichier source en langage LSE)</i>
LSF	<i>Streaming Audio/Video file</i>
LSL	<i>Lotus Script Library</i>
LSO	<i>Logic Fun song</i>
LSP	<i>Xlisp Lisp source code file</i>
LSS	<i>Legato Spreadsheet</i>
LST	<i>1st Reader Keyboard macro</i>
LST	<i>fichier contenant la partie source et la partie objet d'un programme</i>
LST	<i>List file (archive index, compiler listfile)</i>
LST	<i>MultitrackStudio edited audio file</i>
LST	<i>Oracle Spool file</i>
LSX	<i>raccourci Streaming Audio/Video</i>
LTM	<i>Lotus Forms Form</i>
LTS	
LUA	
LUNCH	<i>LunchBox Battles beat file</i>
LUT	
LWD	<i>LotusWorks Text document</i>
LWF	<i>LuraWave Format file</i>
LWI	<i>Light Work Image</i>
LWO	<i>LightWave 3d Object</i>
LWP	<i>Lotus Wordpro 96/97 File</i>
LWV	<i>MicroSoft Linguistically Enhanced Sound File (fichier son amélioré linguistiquement MicroSoft)</i>
LWZ	<i>MicroSoft Linguistically Enhanced Sound File (fichier son amélioré linguistiquement MicroSoft)</i>
LY	<i>Lilypond file</i>
LYR	<i>DataCAD Layer File</i>
LYT	<i>Audio FX layout</i>
LZD	<i>Ldiff 1.20 Difference file for binaries</i>
LZH	
	<i>compressed file archive created by LHA/LHARC (fichier de données compressées par l'utilitaire LHArc)</i>
LZS	<i>compressed file archive created by LARC</i>
LZW	<i>compressed Amiga file archive created by LHWARP</i>
LZX	<i>compressed File</i>
M	<i>Brief Macro module</i>
M	<i>Mathematica Standard package</i>
M	<i>Matlab Function (program)</i>
M11	<i>MASS11 Text file</i>
M1V	<i>Video clip (clip vidéo)</i>
M2A	
M2P	<i>Vidéo numérique compressée au format Mpeg2</i>
M2T	
M2V	<i>Video clip (clip vidéo)</i>
M3	<i>Modula 3 source code file</i>
M3D	<i>3d animation macro</i>
M3D	<i>Corel Motion 3D file</i>
M3U	<i>Streaming MPEG Layer 3 audio file (music file)</i>

Extensions

M4	<i>Unix M4 preprocessor file</i>
M4A	<i>iTunes MPEG-4 audio format</i>
M4F	
M4R	<i>iPhone ring-tone</i>
M4V	<i>video file (fichier vidéo)</i>
MA3	<i>Harvard Graphics 3.0 Macro</i>
MAB	<i>MIDIoz Arp bank</i>
MAC	<i>Macintosh MacPaint Bitmap graphics file (image)</i>
MAC	<i>Macro</i>
MACP	<i>MacPaint file</i>
MAD	<i>PlayerPRO file</i>
MAF	<i>Microsoft Access Form</i>
MAG	<i>Font Magic document</i>
MAG	<i>Woody Lynn's MAG graphics format (MPS Magro Paint System)</i>
MAI	<i>VAX Mail</i>
MAK	<i>Makefile (fichier de préparation pour programmes C et Assembleur)</i>
MAK	<i>Visual Basic Project file</i>
MAM	<i>Microsoft Access Macro</i>
MAN	<i>Command manual (manuel)</i>
MAP	<i>AccView Network map</i>
MAP	<i>Atlas MapMaker Map</i>
MAP	<i>Color palette</i>
MAP	<i>DIV Game Studio Map file</i>
MAP	<i>Linker map file (fichier d'implantation mémoire après édition des liens)</i>
MAP	<i>Micrografx Picture Publisher Format data</i>
MAP	<i>Native Instruments Reaktor wavetable file (embedded or linked waves)</i>
MAPIMAIL	<i>service de messagerie électronique</i>
MAPPING	
MAQ	<i>Microsoft Access Query</i>
MAR	<i>Microsoft Access Report</i>
MAR	<i>VAX Macro Assembly program</i>
MAS	<i>Freelance Graphics Smartmaster set</i>
MAT	<i>Matlab variables binary file</i>
MAT	<i>Microsoft Access Table</i>
MAUD	<i>MAUD sample</i>
MAX	<i>Max source code file</i>
MB	<i>Paradox Memo field values for database</i>
MBF	<i>archive</i>
MBFAVS	<i>Stardent AVS X file</i>
MBFS	<i>Stardent AVS X file</i>
MBK	<i>dBASE IV Multiple index file backup</i>
MBM	<i>Psion series 5 BitMap file</i>
MBX	<i>Eudora/Zerberus Mailbox</i>
MCC	<i>Mathcad Configuration file</i>
MCD	<i>Mathcad Document</i>
MCF	<i>Mathcad Font file</i>
MCI	<i>Media Control Interface command script (module multimédia de Windows)</i>
MCL	<i>Windows Media Center file</i>
MCP	<i>Capsule Application script</i>
MCP	<i>Mathcad Printer driver</i>
MCS	<i>MathCAD format</i>
MCW	<i>document Word pour Macintosh</i>
MCW	<i>MacWrite II Text file</i>
MD	<i>compressed file archive created by MD CD</i>
MD	<i>MuseData score</i>
MD5	<i>checksum file</i>
MDA	<i>Microsoft Access Data (base de données d'utilitaires et de fonctions pour Access)</i>
MDB	<i>Microsoft Access Database</i>
MDF	<i>archive</i>
MDL	<i>3D Design Plus Model</i>
MDL	<i>CA-Compete! Spreadsheet</i>
MDL	<i>DigiTracker 1.x module</i>
MDM	<i>TELEX Modem definition</i>
MDR	<i>ModPlug Tracker module file</i>
MDS	<i>Media Descriptor file</i>
MDT	<i>Microsoft ILink incremental linker Data table</i>
MDX	<i>dBASE IV Multiple index file</i>

Extensions

MDX	<i>Microsoft Access index file</i>
MDZ	<i>compressed ModPlug Tracker module</i>
MDZ	<i>modèle de bases de données Access</i>
ME	<i>ASCII text file</i>
MEB	<i>WordPerfect Library Macro Editor bottom overflow file</i>
MED	<i>OctaMed module</i>
MED	<i>WordPerfect Library Macro Editor delete save</i>
MEM	<i>Memory variable save file (Clipper, dBASE IV, FoxPro)</i>
MEM	<i>WordPerfect Library Macro Editor macro</i>
MEQ	<i>WordPerfect Library Macro Editor print queue file</i>
MER	<i>WordPerfect Library Macro Editor resident area</i>
MES	<i>Message</i>
MES	<i>WordPerfect Library Macro Editor work space file</i>
MESH	<i>Object file (rectangularly-connected mesh)</i>
MET	<i>Omnipage Pro Document</i>
MET	<i>OS/2 Metafile</i>
MET	<i>WordPerfect Library Macro Editor top overflow file</i>
MEU	<i>DOS Shell Menu group</i>
MEX	<i>Matlab Mex file (executable command)</i>
MEX	<i>WordPerfect Library Macro Editor expound file</i>
MF	<i>Metafont text file</i>
MF	<i>MoonFish track</i>
MFF	<i>MIDI File Format</i>
MFP	<i>Macromedia Flash Paper</i>
MFY	<i>Onyx MIDI Effects Chain file</i>
MGC	<i>media catalog file</i>
MGF	<i>Micrografx Draw Font</i>
MGK	
MGR	<i>MGR bitmap file</i>
MGU	<i>Band-in-a-Box file</i>
MHT	<i>Microsoft MHTML Document (sauvegarde de tous les éléments d'une page Web en un seul fichier en langage HTML)</i>
MHTML	<i>fichier en langage HTML</i>
MI	<i>Miscellaneous file</i>
MIB	<i>Snmp MIB file</i>
MIC	<i>Microsoft Image Composer file</i>
MID	<i>Roland D-50 patch SysEx dump</i>
MID	<i>Roland MT-32 (and compatibles) timbre SysEx dump</i>
MID	<i>standard Musical Instrument Digital Interface file</i>
MID	<i>Yamaha DX7/DX7s/DX7II/DX11/DX21/DX27/DX100/DX200/TX81z voice SysEx dump</i>
MIDI	<i>standard Musical Instrument Digital Interface file</i>
MIF	<i>Adobe Framemaker Interchange Format file</i>
MIF	<i>Image Magick file</i>
MIF	<i>MapInfo Interchange Format file</i>
MIF	<i>MicroSoft System Management Server information file</i>
MIFF	<i>Image Magick file</i>
MIG	<i>Windows Migration Store</i>
MII	<i>MicroStat-II Datafile</i>
MIL	<i>Cals raster file</i>
MIM	<i>archive</i>
MIX	<i>MicroSoft Digital Image document</i>
MIX	<i>Power C Object file</i>
MK	<i>Makefile</i>
MKA	<i>Matroska audio file</i>
MKE	<i>Microsoft Windows SDK Makefile</i>
MKI	<i>MagView 0.5 Japanese graphics MAKIchan format</i>
MKS	<i>TACT Data</i>
MKV	<i>Matroska video file (fichier vidéo)</i>
ML3	<i>Milestones 3.x Project</i>
MLB	<i>Symphony Macro library file (fichier de macrocommandes Lotus)</i>
MLC	<i>fichier de pack de langue</i>
MLD	<i>MFi/MFi2 song</i>
MLI	<i>3D-Studio Material-Library file</i>
MLS	<i>Miles Sound System compressed DLS file</i>
MLV	
MM	<i>MultiMate Advantage II Text file</i>
MMC	<i>Media catalog</i>

Extensions

MME	<i>Multipurpose Internet Mail Extension encoded file</i>
MMF	<i>Microsoft Mail message file</i>
MMF	<i>Synthetic Music Mobile Application Format song</i>
MML	<i>formules mathématiques au format MathML</i>
MML	<i>Media Catalog File</i>
MMM	<i>MacroMind Director 3.x Movie (RIFF RMMP format)</i>
MMO	<i>RapidFile Memo writer file</i>
MMP	<i>Linux MultiMedia Studio project</i>
MMP	<i>Output video format from Bravado board</i>
MMPZ	<i>Linux MultiMedia Studio compressed project</i>
MMS	<i>Module Management System file</i>
MMW	<i>Media Catalog File</i>
MND	<i>AutoCAD Menu Compiler Menu source</i>
MNF	<i>enregistrement de résultats de recherche dans MSN</i>
MNG	<i>DeLorme Map'n'Go Map</i>
MNG	<i>Multiple Network Graphics file</i>
MNT	<i>fichier capture TwinTalk (session Vidéotex)</i>
MNT	<i>FoxPro Menu memo</i>
MNU	<i>HP NewWave Advanced macro</i>
MNU	<i>Menu (AutoCAD Menu Compiler, Norton Commander, Signature)</i>
MNX	<i>AutoCAD Compiled menu</i>
MNX	<i>FoxPro Menu</i>
MNY	<i>Microsoft Money Account book</i>
MO	
MO3	<i>MO3 compressed module</i>
MOB	<i>PEN Windows Device definition</i>
MOD	<i>Amiga Soundtracker audio file (fichier musique "module" Amiga)</i>
MOD	<i>Clarion Modula-2 source code file</i>
MOD	<i>Fast Tracker 2 module</i>
MOD	<i>fichier de profil MoDem TwinTalk</i>
MOD	<i>NoiseTracker module</i>
MOD	<i>ProTracker module</i>
MOD	<i>video clip (clip vidéo)</i>
MOD	<i>Wavefront's Advanced Visualizer Object file in binary format</i>
MOD	<i>Windows kernel module</i>
MOF	
MOI	
MOL	<i>Module list</i>
MON	<i>ReadMail Monitor description</i>
MOS	<i>Nikon raw file</i>
MOV	<i>Apple QuickTime movie (fichier animation Apple QuickTime)</i>
MOV	<i>AutoCAD AutoFlix Movie</i>
MOX	
MOZ	<i>Mozilla/Netscape cache file</i>
MP1	<i>Motion Picture Experts Group audio stream (layer I)</i>
MP2	<i>Motion Picture Experts Group audio stream (layer II)</i>
MP2V	<i>Video clip (clip vidéo)</i>
MP3	<i>Motion Picture Experts Group audio stream (layer III, MP3 Pro) (son)</i>
MP4	<i>Motion Picture Experts Group-4 base media file (fichier multimédia au format Motion Picture Experts Group-4)</i>
MPA	<i>Motion Picture Experts Group audio stream (layer I, II, II½ or III)</i>
MPA	<i>video clip (clip vidéo)</i>
MPC	<i>Microsoft Project Calender file</i>
MPC	<i>Musepack audio compression</i>
MPD	<i>device driver</i>
MPE	<i>Motion Picture Experts Group video clip (clip vidéo)</i>
MPEG	<i>Motion Picture Experts Group system stream (audio + video clip) (clip vidéo)</i>
MPEG2	<i>Motion Picture Experts Group video clip</i>
MPEG4	<i>Motion Picture Experts Group video clip</i>
MPF	<i>Clip Organizer Media package file</i>
MPG	<i>Motion Picture Experts Group system stream (audio + video clip) (clip vidéo)</i>
MPGA	<i>Video clip (clip vidéo)</i>
MPM	<i>WordPerfect Library Mathplan macro</i>
MPNT	<i>Mac Paint file</i>
MPO	<i>Multiple Picture Object file</i>
MPP	<i>Microsoft Project file</i>
MPR	<i>FoxPro Generated program</i>

Extensions

MPT	<i>MIDI Pattern Track file</i>
MPT	<i>Multipage TIFF Bitmap graphics</i>
MPTM	<i>OpenMPT module file</i>
MPU	<i>liste de diffusion WinAmp</i>
MPV	<i>Microsoft Project View file</i>
MPV2	<i>Video clip (clip vidéo)</i>
MPX	<i>FoxPro Compiled menu program</i>
MRB	<i>Microsoft C/C++ Multiple Resolution Bitmap graphics</i>
MRF	
MRK	<i>Informative Graphics Markup</i>
MRS	<i>WordPerfect Macro Resource file</i>
MRT	
MRW	<i>Minolta raw image file</i>
MSC	<i>Management Saved Console (document de la console commune MicroSoft)</i>
MSC	<i>Microsoft C makefile</i>
MSC	<i>MuseScore file</i>
MSCX	<i>uncompressed MuseScore file</i>
MSCZ	<i>compressed MuseScore file</i>
MSDM	<i>ticket de diagnostic du support technique MicroSoft</i>
MSDVD	<i>projet création de DVD Windows</i>
MSG	<i>Message file</i>
MSH	<i>WinMorph control mesh</i>
MSI	<i>Windows Installer package</i>
MSK	<i>Paint Shop Pro Mask file</i>
MSN	<i>Microsoft Network document</i>
MSP	<i>correctif Windows Installer</i>
MSP	<i>MicroSoft Windows 2 MicroSoft Paint file</i>
MSRCINCIDENT	<i>invitation d'assistance à distance Windows</i>
MSS	<i>Manuscript text file (Perfect Writer, Scribble, MINCE, Jove)</i>
MSS	<i>Miles Sound System DLS 1 + XMI file</i>
MST	<i>Microsoft Windows SDK Setup script</i>
MST	<i>Prosa Minispecification file</i>
MSU	<i>package autonome MicroSoft</i>
MSW	<i>Microsoft Word Text file</i>
MSWMM	<i>projet Windows Movie Maker</i>
MSX	<i>compressed CP/M file archive created by MSX</i>
MT2	<i>Mad Tracker 2 module</i>
MTE	<i>Mad Tracker 2 envelope</i>
MTH	<i>Derive Math file</i>
MTI	<i>Mad Tracker 2 instrument</i>
MTM	<i>MultiTracker module (music)</i>
MTP	<i>Mad Tracker 2 pattern</i>
MTP	<i>Matrix Transformation Properties file</i>
MTS	<i>Mad Tracker 2 sample</i>
MTS	<i>MT Pro files</i>
MTSTHEME	<i>Multitrack Studio theme</i>
MTV	<i>MTV Ray-Tracer file</i>
MTW	<i>Minitab Datafile</i>
MTX	<i>Mad Tracker 2 extension</i>
MTX	<i>Matrix data file</i>
MU	<i>Quattro Pro Menu</i>
MUI	
MUS	<i>Doom/Heretic music file</i>
MUS	<i>Finale Notation file</i>
MUS	<i>Musette music file</i>
MUS	<i>Musifile Motion Picture Experts Group Layer II audio stream</i>
MUS	<i>Music Time score</i>
MUS10	<i>Mus10 audio file</i>
MUSLANG	<i>Musette language file</i>
MVB	<i>Microsoft Multimedia Viewer file</i>
MVF	<i>AutoCAD AutoFlix Stop frame file</i>
MVI	<i>AutoCAD AutoFlix Movie command file</i>
MVW	<i>Saber LAN Log file</i>
MWF	<i>ProMotion Animation</i>
MWP	<i>Lotus Word Pro SmartMaster file</i>
MWS	<i>IBM MWave DSP synth instrument extracts</i>
MXL	<i>compressed MusicXML sheet music</i>

Extensions

MXL	<i>MaxLister drive image file</i>
MXS	<i>MIDI-OX snapshot file</i>
MXT	<i>Microsoft C Data</i>
MYDOCS	<i>cible de dépôt de MyDocs</i>
MYP	<i>MM Make Your Point Presentation</i>
MYS	<i>Myst saved game file</i>
M_U	<i>MazeGold Backup of boot sector, FAT and boot dir</i>
NAP	<i>EnerGraphics Naplps file (VideoShow)</i>
NAV	<i>AirNav file</i>
NB	<i>Nota Bene Text file</i>
NC	<i>Instructions for NC (Numerical Control) machine (CAMS)</i>
NC	<i>netcdf Graphics</i>
NCC	<i>CamView 3D CNC (Computer Numeric Control) control file</i>
NCD	<i>Norton Commander Change Directory support file</i>
NCR	<i>NCR image</i>
NDB	<i>Network database (Intellicom, Compex)</i>
NDS	<i>Nintendo DS file</i>
NDX	<i>Index file (dBASE II - III - IV, dBFast)</i>
NEF	<i>Nikon raw image file</i>
NEO	<i>Atari Neochrome (ST & TT) Raster graphics file</i>
NET	<i>Network configuration/info file (fichier de configuration réseau de Paradox)</i>
NEW	<i>New info</i>
NFO	<i>Folio Views data file</i>
NFO	<i>Info file</i>
NFO	<i>MSInfo document (fichier d'informations système)</i>
NG	<i>Norton Guide Online documentation database</i>
NGG	<i>Nokia Group Graphics file</i>
NIST	<i>NIST Sphere file</i>
NITF	<i>National Imagery Transmission Format file</i>
NLM	<i>Netware Loadable Module</i>
NLM	<i>Nokia LogoManager file</i>
NLS	<i>National Language Support file</i>
NLX	<i>FormWorx 3.0 Form</i>
NMW	<i>document du Tableau blanc MicroSoft NetMeeting compatible T126</i>
NOL	<i>Nokia LogoManager file</i>
NOL	<i>Nokia Operator Logo</i>
NOT	<i>Notation file</i>
NOW	
NP	<i>Project schedule (Nokia Planner, Visual Planner 3.x)</i>
NPI	<i>dBASE Application Generator Source for DGEN.EXE interpreter</i>
NRG	<i>Nero Image Editor archive file</i>
NSC	
NSF	<i>Lotus Notes / Domino database</i>
NST	<i>NoiseTracker module</i>
NT	<i>Windows NT Startup files</i>
NTF	<i>Lotus Notes / Domino template file</i>
NTI	<i>Noisetrekker instrument</i>
NTK	<i>Noisetrekker song</i>
NTR	<i>Executable ASCII text file (strip header and rename)</i>
NTS	<i>Executable ASCII text file (strip header and rename)</i>
NTS	<i>Noisetrekker sample</i>
NTS	<i>Norton Tutorial</i>
NTS	<i>Psion NotePad text file</i>
NTX	<i>Clipper & CodeBase index file</i>
NUF	<i>Procomm Plus Message for new users on their 1st call</i>
NVF	<i>Creative Labs Nomad voice file</i>
NVL	
NVP	
NWC	<i>NoteWorthy Composer file</i>
NWS	<i>MicroSoft InterNet News Message</i>
NWS	<i>News stories downloaded from the executive news service (ASCII info text file)</i>
NXT	<i>NeXT Sound format</i>
NY	
O	<i>Object code file (Unix, Atari, GCC)</i>
O\$\$	<i>Sprint Outfile</i>
O01	<i>Typhoon voice file</i>
OAB	<i>Microsoft Outlook Address Book</i>

Extensions

OAZ	<i>NetFax Manager Fax</i>
OB	<i>IBM LinkWay Object cut/paste file</i>
OB2	<i>Psion Diary file (CM)</i>
OB3	<i>fichier procédure OPL</i>
OB4	<i>fichier de configuration Psion ComMicrosoft-Link</i>
OB5	<i>Psion SpreadSheet</i>
OB6	<i>fichier de configuration Psion Pager</i>
OB7	<i>Psion NotePad binary file</i>
OBD	<i>Microsoft Office Binder</i>
OBJ	<i>Intel Recolatable Object Module (fichier objet issu d'une compilation)</i>
OBJ	<i>Wavefront's Advanced Visualizer Object file in ASCII format</i>
OBR	<i>Borland C++ Object browser data file</i>
OBS	<i>ObjectScript Script</i>
OBT	<i>Microsoft Office Binder Template (modèle de classeur Office)</i>
OBV	<i>ObjectScript Visual interface</i>
OBZ	<i>Microsoft Office Binder Wizard</i>
OCF	<i>Object Craft File</i>
OCP	<i>Advanced Art Studio file</i>
OCP	<i>Onyx Chord Progression file</i>
OCR	<i>FAXGrapper Incoming fax transcribed to text</i>
OCX	<i>ActiveX Control (fichier contenant des objets graphiques personnalisés)</i>
ODB	<i>OpenOffice.org Data Base (base de données OpenOffice)</i>
ODB	<i>Psion data file</i>
ODC	<i>Microsoft Office Data Connection</i>
ODCCUBEFILE	
ODCDATABASEFILE	
ODCNEWFILE	
ODCTABLEFILE	
ODF	<i>OpenOffice.org Formula file (formule OpenOffice)</i>
ODG	<i>OpenOffice.org Draw file</i>
ODI	<i>OpenOffice.org Draw file</i>
ODL	<i>Visual C++ Type library source</i>
ODM	<i>document maître OpenOffice</i>
ODP	<i>OpenOffice.org Impress file (présentation OpenOffice 2.2)</i>
ODS	<i>OpenOffice.org Calc file (tableur OpenOffice 2.2)</i>
ODT	<i>Open Document Text (texte OpenOffice)</i>
OEX	<i>Opera Extension</i>
OFD	<i>ObjectView Form definition</i>
OFF	<i>Object File Format vector graphics</i>
OFT	<i>modèle de messages pour Outlook</i>
OGG	<i>Ogg Vorbis stream (audio file)</i>
OGM	<i>video file (fichier vidéo)</i>
OIL	<i>Open Image Library format file</i>
OKT	<i>OktaLyser module</i>
OLB	<i>VAX Object library</i>
OLD	<i>backup file</i>
OLE	<i>OLE object</i>
OLI	<i>Olivetti Text file</i>
OLK	<i>Outlook address book</i>
OMS	<i>Onyx Performance Modeling Styles file</i>
ONE	<i>Microsoft Office OneNote section</i>
ONEPKG	<i>Microsoft Office OneNote Single File Package</i>
ONETOC	<i>Microsoft Office OneNote 2003 Table of contents</i>
ONETOC2	<i>Microsoft Office OneNote Table of contents</i>
ONX	<i>Onyx Graphics Postershop file</i>
OOM	<i>Shroom Swap file</i>
OOS	<i>Onyx Orchestrator Style file</i>
OPC	<i>Microsoft Clean-up Wizard file</i>
OPD	<i>OmniPage file</i>
OPL	<i>fichier procédure OPL</i>
OPN	<i>Exact Active options</i>
OPO	<i>fichier objet OPL</i>
OPR	<i>Onyx project file</i>
OPT	<i>OPL source file (fichier source OPL)</i>
OPT	<i>QEMM Optimize support file</i>
OPW	<i>Org Plus Organization chart</i>
OPX	<i>Exact Inactive options</i>

Extensions

OPX	MicroSoft Organigramme hiérarchique 2.0
OQY	MicroSoft Office Excel OLAP Query file
ORA	Oracle Parameter file
ORF	Olympus raw image file
ORG	Lotus Organizer Calendar file
ORI	Original file
ORP	Orangator preset
OSP	Orion Sampler programs
OTF	fichier de police OpenType
OTG	modèle de dessin OpenOffice
OTH	modèle de document HTML
OTL	Z-Soft Type Foundry Outline font description
OTN	fichier d'apprentissage OmniPage
OTP	Onyx Template
OTP	OpenDocument Presentation Template (modèle de présentation OpenOffice)
OTS	OpenDocument Spreadsheet Template (modèle de classeur OpenOffice)
OTT	OpenDocument Text Template (modèle de texte OpenOffice)
OTX	Olivetti Olitext Plus Text file
OUT	Output file
OUT	Roland S-5xx (S-50/S-51/S-330/W-30/S-500/S-550) and S-7xx (S-70/S-700/S-750/S-760/S-770/S-772) series floppy image
OV1	Overlay file
OV2	Overlay file
OVD	ObjectVision Datafile
OVE	Overture file
OVL	overlay file
OVM	
OVR	overlay file
OXM	Sample MIDI-OX mapping file
OXT	OpenOffice.org extension
OZM	Sharp Organizer memo bank
OZP	Sharp Organizer telephone bank
P	AKAI S01/S900/S950/S1000/S1100/S2000/S2800/S3000/S3200 programs
P	Applause Picture file
P	Pascal source code file
P	Rea-C-Time application parameter file (ReaGeniX code generator)
P4	iPhoto Express file
P7	XV Visual Schnauzer file
P7B	PKCS #7 certificate
P7C	Certificate Contacts Windows file (fichier d'identification numérique)
P7M	PKCS #7 MIME message
P7R	réponse de requête de certificat
P7S	PKCS #7 signature
P10	requête de certificat
P10	Tektronix Plot10 file
P12	Personal information exchange (échange d'informations personnelles)
P16	ProTracker Studio 16 Music (16 channels)
P22	Patch file
P65	Adobe Pagemaker v6.5 file
PA	PrintArtist project
PA1	PageAhead Worktable
PAB	Microsoft Personal Address Book
PAC	Stad Image
PAC	SB Studio II package file
PAD	Telemate Keypad definition
PAF	Ensoniq PARIS audio file
PAG	Psion Pager file
PAINT	Mac Paint file
PAK	compressed file archive created by PAK (fichier archive compressé)
PAK	Quake game data
PAL	Color palette
PAL	palette Image Illustrée
PAN	CorelDraw Printer-specific file
PAR	Digitalk Parts application
PAR	Fractint Parameter file
PAR	Windows 3.x Permanent output file (fichier d'échange permanent MicroSoft Windows)
PAS	Pascal source code file (fichier source Pascal)

Extensions

PAT	<i>Corel Draw Pattern</i>
PAT	<i>CorelDraw Vector fill file</i>
PAT	<i>Gimp pattern</i>
PAT	<i>Gravis Ultrasound GF1 patch file</i>
PAT	<i>Hatch patterns (AutoCAD, Photostyler)</i>
PAT	<i>Notator pattern</i>
PAT	<i>Paint Shop Pro pattern</i>
PAT	<i>Transistor Synth 404 (TS404) pattern file</i>
PB	<i>FAXability Plus Fax</i>
PB	<i>PixBase Setup file</i>
PB	<i>WinFax Pro Phonebook</i>
PB1	<i>First Publisher Document</i>
PBA	<i>Genus Powerbasic BASIC source code</i>
PBD	<i>Phone book (FaxNOW!, Faxit)</i>
PBF	<i>Turtle Beach Pinnacle bank file</i>
PBI	<i>Genus Powerbasic include file</i>
PBI	<i>Microsoft Source Profiler Binary Input</i>
PBK	<i>Microsoft Phonebook (annuaire téléphonique d'accès à distance)</i>
PBL	<i>Genus Powerbasic library</i>
PBM	<i>Portable BitMap file</i>
PBM	<i>Portable image file</i>
PBM	<i>XLib Planar bitmap graphics</i>
PBO	<i>Microsoft Source Profiler Binary Output</i>
PBR	
PBT	<i>Microsoft Source Profiler Binary Table</i>
PC	<i>Text file containing IBM PC specific info</i>
PC[1-3]	<i>Degas Elite file</i>
PC3	<i>Harvard Graphics 3.0 Custom palette</i>
PC8	<i>NewWave Write ASCII text IBM8 character set</i>
PCB	
PCC	<i>ZSoft Publisher's PC Paintbrush Cutout picture vector graphics</i>
PCD	<i>Kodak Photo CD image file</i>
PCD	<i>MicroSoft Digital Image document</i>
PCF	<i>Microsoft Source Profiler Command File</i>
PCF	<i>PCF bitmap font</i>
PCG	<i>Korg Trinity/Triton/Triton LE bank file</i>
PCH	<i>Microsoft C/C++ Precompiled header</i>
PCH	<i>Patch file</i>
PCJ	<i>IBM's Linkaway-Live Multimedia authoring tool graphics</i>
PCK	<i>Turbo Pascal Pickfile</i>
PCL	<i>Hewlett-Packard Page Control Language graphics data</i>
PCM	<i>LaserJet cartridge information</i>
PCM	<i>OKI MSM6376 synth chip PCM format</i>
PCM	<i>PCM Raw Data</i>
PCS	<i>MicroSoft Office image</i>
PCS	<i>PICS animation</i>
PCS	<i>Process Viewer Script</i>
PCT	<i>Macintosh QuickDraw/Pict file</i>
PCT	<i>NIST Ihdr file</i>
PCW	<i>PC Write Text file</i>
PCX	<i>MicroSoft Digital Image document</i>
PCX	<i>ZSoft Publisher's PC Paintbrush Bitmap graphics</i>
PDA	<i>Bitmap graphics</i>
PDB	<i>Palm Pilot file</i>
PDB	<i>Photo Deluxe file</i>
PDB	<i>Protein Databank file</i>
PDB	<i>TACT Data</i>
PDB	<i>TealPaint file</i>
PDD	<i>Adobe PhotoDeluxe Image</i>
PDEF	
PDF	<i>Graphics file (ED-SCAN 24bit format)</i>
PDF	<i>Package Definition File</i>
PDF	<i>Portable Document Format file</i>
PDG	<i>PrintShop Deluxe file</i>
PDI	<i>Instant CD/DVD archive file</i>
PDL	<i>Borland C++ 4.5 Project Description Language file</i>
PDR	<i>pilote d'interface</i>

Extensions

PDS	<i>Planetary Data System file</i>
PDS	<i>Pldasm source code file (hardware assembly)</i>
PDV	<i>Paintbrush Printer driver</i>
PDW	<i>Professional Draw Document</i>
PDX	<i>Index Acrobat Catalog</i>
PDX	<i>Mayura Draw file</i>
PEB	<i>WordPerfect Library Program Editor bottom overflow file</i>
PED	<i>WordPerfect Library Program Editor delete save</i>
PEF	<i>Pentax raw image file</i>
PEM	<i>WordPerfect Library Program Editor macro</i>
PEQ	<i>WordPerfect Library Program Editor print queue file</i>
PER	<i>WordPerfect Library Program Editor resident area</i>
PES	<i>WordPerfect Library Program Editor work space file</i>
PET	<i>WordPerfect Library Program Editor top overflow file</i>
PF	
PFA	<i>Type 3 font file (unhinted PostScript font)</i>
PFB	<i>PostScript type 1 font file</i>
PFC	<i>First Choice Text file</i>
PFI	<i>Photo Filtre Studio file</i>
PFK	<i>XTreePro Programmable function keys</i>
PFM	<i>Postscript/Windows Type 1 font metric file (fichier de description de police imprimante téléchargeable HPPCL)</i>
PFR	<i>Paint Shop Pro Frame file</i>
PFS	<i>Database</i>
PFS	<i>text file</i>
PFT	<i>ChiWriter Printer font</i>
PFX	<i>Personal information exchange (échange d'informations personnelles)</i>
PG	<i>IBM LinkWay Page cut/paste file</i>
PG	<i>Printfox/Pagefox file</i>
PGI	<i>Printer Graphics File device driver (PGRAPH library)</i>
PGL	<i>HPGL 7475A plotter vector graphics</i>
PGM	<i>AKAI MPC-1000/MPC-2000/MPC-2000XL/MPC-3000 drum set file</i>
PGM	<i>Portable Grayimage image file</i>
PGM	<i>Portable GreyMap bitmap file</i>
PGM	<i>Portable GreyScale bitMap graphics</i>
PGM	<i>Signature Program</i>
PGP	<i>Pretty Good Privacy RSA System Support file</i>
PGS	<i>man4dos Manual page</i>
PH	<i>Geoworks Optimized .goh file</i>
PH	<i>MicroSoft C/C++ Phrase-table</i>
PH	<i>Perl header file</i>
PHN	<i>Phone list (UltraFax, QmodemPro)</i>
PHO	<i>Metz Phone database</i>
PHP	<i>MicroSoft Digital Image document</i>
PHP	<i>PHP script</i>
PHR	<i>LocoScript Phrases</i>
PI[1-6]	<i>Degas Elite file</i>
PIC	<i>Advanced Art Studio file</i>
PIC	<i>Bio-Rad confocal file</i>
PIC	<i>GRASP image file</i>
PIC	<i>Lotus 1-2-3 Bitmap graphics</i>
PIC	<i>Macintosh QuickDraw/Pict file</i>
PIC	<i>PC-Paint/Pictor Page Bitmap graphics</i>
PIC	<i>Psion Series 3 bitmap file</i>
PIC	<i>Radiance file</i>
PIC	<i>Rayshade file</i>
PIC	<i>SDSC Image Tool Pixar picture file</i>
PIC	<i>SoftImage Bitmap file</i>
PIC	<i>Stad file</i>
PICIO	<i>Pixar picture file</i>
PICT	<i>Macintosh QuickDraw/Pict file</i>
PICT2	<i>Macintosh QuickDraw/Pict file</i>
PIF	<i>IBM mainframe computers Vector graphics GDF format</i>
PIF	<i>Windows 3.x Program Information File (fichier d'information de programme MS-DOS pour MicroSoft Windows 3.x)</i>
PIG	<i>Ricoh IS30 file</i>
PIP	<i>Microsoft Office Settings File</i>

Extensions

PIT	<i>compressed Mac file archive created by PACKIT</i>
PIX	<i>Inset Systems graphics</i>
PIX	<i>SDSC Image Tool Alias image file</i>
PIX	<i>TrueVision Targa file</i>
PIX	<i>Vort file</i>
PIXAR	<i>Pixar picture file</i>
PJ	<i>CA-SuperProject Project</i>
PJT	<i>FoxPro Project memo</i>
PJX	<i>FoxPro Project</i>
PK	<i>TeX DVI drivers Packed bitmap font bitmap file</i>
PK3	<i>archive</i>
PKA	<i>compressed file archive created by PKARC</i>
PKG	<i>AppleLink package compression format</i>
PKG	<i>Next Installer script</i>
PKO	<i>objet de sécurité clé publique</i>
PKT	<i>Fidonet packet</i>
PL	<i>Harvard Graphics Palette</i>
PL	<i>Perl source code file (fichier source en langage PERL)</i>
PL	<i>Prolog source code file</i>
PL	<i>TeX Property List font metric file</i>
PL1	<i>3D Home Architect Room plan</i>
PL3	<i>Harvard Graphics 3.0 Chart palette</i>
PLB	<i>FoxPro Library</i>
PLC	<i>Lotus 1-2-3 Add-in file (functions, macros, applications)</i>
PLIST	<i>QuickTime Preferences</i>
PLL	<i>Clipper 5 Pre-linked library</i>
PLM	<i>DisorderTracker2 module</i>
PLN	<i>Psion SpreadSheet</i>
PLN	<i>WordPerfect Spreadsheet</i>
PLS	<i>DisorderTracker2 sample</i>
PLS	<i>Play List (Clarion, WinAmp, etc.)</i>
PLT	<i>AutoCAD HPGL plotter file vector graphics</i>
PLT	<i>Clipper 5 Pre-linked transfer file</i>
PLT	<i>Palette</i>
PLX	<i>Email messages</i>
PLY	<i>Anvil Studio playlist</i>
PLY	<i>Harvard Spotlight Presentation screen</i>
PLY	<i>PopMail Data</i>
PM	<i>Perl Module</i>
PM	<i>Presentation Manager Bitmap graphics</i>
PM	<i>X11 PixMap file</i>
PM3	<i>PageMaker 3 Document</i>
PM4	<i>PageMaker 4 Document</i>
PM5	<i>PageMaker 5 Document</i>
PMC	<i>A4TECH Scanner Graphics</i>
PMI	<i>MIDI-OX patchmap</i>
PMM	<i>Amaris BTX/2 Program file</i>
PMP	<i>Sony DSC-F1 Cyber-shot file</i>
PN3	<i>Harvard Graphics 3.0 Printer device driver</i>
PNF	<i>informations d'installation précompilées</i>
PNG	<i>Portable Network Graphics file (image)</i>
PNM	<i>Portable aNy Map graphics</i>
PNT	<i>Macintosh painting</i>
PNT	<i>MarkMail 2.x Qwk reader pointer file</i>
PNTG	<i>MacPaint image</i>
POH	<i>Geoworks Optimized .goh file</i>
POL	<i>fichier de contrôle d'accès</i>
POLICY	
POP	<i>dBASE Application Generator Pop-up menu object</i>
POP	<i>PopMail Messages index</i>
POT	<i>Microsoft Office PowerPoint template (modèle Microsoft Office PowerPoint)</i>
POTHTML	<i>MicroSoft Office PowerPoint HTML Template</i>
POTM	<i>modèle de présentation MicroSoft Office 2007 PowerPoint prenant en charge les macros</i>
POTX	<i>Microsoft Office PowerPoint template (modèle Microsoft Office PowerPoint)</i>
POV	<i>Persistence Of Vision Raytraced graphics image</i>
POW	<i>PowerChords Chord chart</i>
PP	<i>compressed Amiga file archive created by POWERPACKER</i>

Extensions

PP	<i>Pump project</i>
PPA	<i>MicroSoft Office PowerPoint Addin</i>
PPAM	<i>MicroSoft Office PowerPoint Addin</i>
PPB	<i>WordPerfect Button bar for Print Preview</i>
PPD	<i>PostScript Printer Description</i>
PPF	<i>Turtle Beach Pinnacle program file</i>
PPL	<i>Harvard Graphics 3.0 Polaroidpaletteplus ColorKey device driver</i>
PPM	<i>Portable Pixel Map graphics</i>
PPMA	<i>Portable Bitmap file</i>
PPO	<i>Clipper 5 Pre-processor output</i>
PPP	<i>PagePlus Publication</i>
PPP	<i>Punk Productions Picture</i>
PPR	
PPS	<i>MicroSoft Office PowerPoint Slide Show (présentation multimédia MicroSoft Office PowerPoint)</i>
PPS	<i>Personal Producer Storyboard</i>
PPSM	
	<i>MicroSoft Office PowerPoint macro-enabled slide show (diaporama MicroSoft Office PowerPoint 2007)</i>
PPSX	diaporama MicroSoft Office PowerPoint
PPT	<i>MicroSoft Office PowerPoint document (présentation Microsoft Office PowerPoint 97-2003)</i>
PPTHTML	<i>MicroSoft Office PowerPoint HTML document</i>
PPTM	présentation MicroSoft Office 2007 PowerPoint prenant en charge les macros
PPTMHTML	
PPTX	présentation MicroSoft Office 2007 PowerPoint
PPTXML	<i>MicroSoft Office PowerPoint XML presentation</i>
PQI	fichier Power Quest utilisé par Drive Image Pro
PR	<i>Sun icon/cursor</i>
PR2	<i>Aldus Persuasion 2.x Presentation</i>
PR2	<i>dBASE IV Printer driver</i>
PR3	<i>Aldus Persuasion 3.x Presentation</i>
PR3	<i>dBASE IV Postscript printer driver</i>
PRC	<i>Palm Pilot file</i>
PRC	<i>Picture Gear Pocket file</i>
PRD	<i>Printer driver</i>
PRE	<i>Freelance Graphics Presentation</i>
PRE	<i>Settings (Programmer's WorkBench, MicroSoft C/C++)</i>
PRF	<i>dBASE IV Printer driver</i>
PRF	<i>PICS Rules file (fichier des règles PICS)</i>
PRF	<i>Pixel Run Format graphics (Improces, Fastgraph)</i>
PRF	<i>Profiler output</i>
PRFPSET	<i>Adobe Premiere Elements preset</i>
PRG	<i>Anvil Studio program</i>
PRG	<i>Atari Program</i>
PRG	<i>Program source (dBASE IV, FoxPro, Clipper 5, dBFast)</i>
PRG	<i>WAVmaker program</i>
PRI	<i>LocoScript Printer definitions</i>
PRI	<i>Prisms file</i>
PRINT	
PRJ	<i>Object Oriented Graphics Library file</i>
PRJ	<i>Project</i>
PRM	<i>Adobe Premiere Elements plugin</i>
PRM	<i>Parameters</i>
PRN	fichier texte pour impression
PRN	<i>HPGL-2 file</i>
PRN	<i>Postscript file</i>
PRN	<i>Signature Printer driver</i>
PRN	<i>Text file (Lotus 1-2-3, Symphony)</i>
PRO	<i>DOS Graphics profile file</i>
PRO	<i>Prolog source code file</i>
PROPDESC	
PROPERTIES	
PRPRESET	<i>Adobe Premiere Elements preset</i>
PRS	<i>dBASE IV Procedure</i>
PRS	fichier capture TwinTalk (session Prestel)
PRS	<i>Harvard Graphics Presentation</i>
PRS	<i>WordPerfect Printer Resource</i>
PRSL	<i>Adobe Premiere Elements style</i>
PRT	<i>DDClip project</i>

Extensions

PRT	<i>Dr.Halo Printer driver</i>
PRT	<i>HPGL-2 file</i>
PRTL	<i>Adobe Premiere Elements title</i>
PRX	<i>FoxPro Compiled program</i>
PRX	<i>profil Windows Media</i>
PS	<i>(Encapsulated) PostScript file (ASCII text/graphics)</i>
PS_2_0	
PS1	<i>Postscript file</i>
PS2	<i>Postscript file</i>
PS3	<i>Postscript file</i>
PSB	<i>Turtle Beach Pinnacle sound bank</i>
PSC	<i>PhotoStory 2 document</i>
PSD	<i>Adobe PhotoShop image</i>
PSD	<i>MicroSoft Digital Image document</i>
PSE	<i>IBM Printer Page Segment Bitmap graphics</i>
PSF	<i>ChiWriter Outline PostScript printer font</i>
PSF	<i>Photo Studio File</i>
PSION	<i>PSION a-law file</i>
PSM	<i>Epic Megagames MASI music</i>
PSM	<i>ProTracker Studio module</i>
PSM	<i>Turbo Pascal Symbol table of IDE</i>
PSP	<i>Paint Shop Pro image</i>
PSP	<i>Prodea Synergy Procedure</i>
PSPBRUSH	<i>Paint Shop Pro Brush file</i>
PSPFRAME	<i>Paint Shop Pro Frame file</i>
PSPIMAGE	<i>Paint Shop Pro image</i>
PSPMASK	<i>Paint Shop Pro Mask file</i>
PSPTUBE	<i>Paint Shop Pro picture tube file</i>
PT3	<i>Harvard Graphics 3.0 Device driver</i>
PT3	<i>PageMaker 3 Template</i>
PT4	<i>PageMaker 4 Template</i>
PTB	<i>PubTech BatchWorks Script</i>
PTC	<i>sampler patch</i>
PTM	<i>PolyTracker module</i>
PTM	<i>PubTech BatchWorks Macro</i>
PTN	<i>Quartz Audio Master pattern</i>
PTR	<i>QMail Qwk reader pointer file</i>
PTX	<i>Pentax raw image file</i>
PUB	<i>MicroSoft Publisher Page template</i>
PUB	<i>Pretty Good Privacy RSA System Public key ring file</i>
PUB	<i>Publication (Ventura Publisher, 1st Publisher)</i>
PUT	<i>compressed file archive created by PUT</i>
PVD	<i>Instalit Script</i>
PVL	<i>Instalit Library</i>
PVT	<i>Local Fidonet pointlist</i>
PW	<i>Professional Write Text file</i>
PWD	<i>Microsoft Pocket Word document</i>
PWL	<i>PassWord List (fichier de mot de passe Windows)</i>
PWP	<i>Professional WritePlus Text document</i>
PWP	<i>Seattle Film Works multi-image file</i>
PWZ	<i>MicroSoft PowerPoint Wizard</i>
PX	<i>Paradox Primary database index</i>
PX1	<i>PiXel Paint image</i>
PXA	<i>Pegs file</i>
PXB	<i>PixiBox file</i>
PXL	<i>Microsoft Pocket Excel file</i>
PXR	<i>Pixar picture file</i>
PXS	<i>Pegs file</i>
PY	<i>Python script file</i>
PYC	<i>compiled PYTHON script file</i>
PYD	
PYS	<i>script</i>
PZD	<i>Pizazz Plus Default settings</i>
PZL	<i>Puzzle file</i>
PZO	<i>Pizazz Plus Overlay file</i>
PZP	<i>Pizazz Plus Palette</i>
PZS	<i>Pizazz Plus Settings</i>

Extensions

PZT	<i>Pizazz Plus Transfer file</i>
PZX	<i>Pizazz Plus Swap file</i>
Q0	
Q3P	
QAC	<i>Quartz Audio Master compressed sequence backup file (séquence Quartz Audio Master compilée compressée)</i>
QAG	<i>Norton Desktop Quick Access Group</i>
QAM	<i>Quartz Producer Mix file</i>
QAP	<i>Omnis Quartz Application</i>
QAP	<i>Quartz Producer Project file</i>
QAS	<i>Quartz Audio Master sequence backup file (séquence Quartz Audio Master compilée)</i>
QAT	<i>Quartz Audio Master track file</i>
QBE	<i>Saved query (dBASE IV, Quattro Pro)</i>
QBO	<i>dBASE IV Compiled query</i>
QBW	<i>QuickBooks Spreadsheet</i>
QD0...9	<i>Omnis Quartz Data file (segments 1...10)</i>
QDK	<i>QEMM Backup of startup files created by Optimize</i>
QDS	<i>Directory query</i>
QDV	<i>Random Dot Software file</i>
QDV	<i>Steve Blackstock Giffer Graphics</i>
QEF	<i>Q+E for MicroSoft Excel Query file</i>
QFP	
QFX	<i>QuickLink Fax</i>
QIC	<i>Quarter Inch Cartridge MicroSoft-Backup file</i>
QIF	<i>QuickTime image</i>
QLB	<i>MicroSoft C/C++ Quick library</i>
QLC	<i>PostScript help file Data</i>
QLP	<i>QuickLink Printer driver</i>
QM	
QM4	<i>QMail 4.x Mail Door Options or services file</i>
QPA	<i>QuickTime Player Addition</i>
QPR	<i>FoxPro Generated query program</i>
QPR	<i>OS/2 Print queue device driver</i>
QPX	<i>FoxPro Compiled query program</i>
QRC	
QRP	<i>Oceris ViewFont Quick Report file</i>
QRS	<i>WordPerfect Equation Editor support file</i>
QRT	<i>QRT Ray-Tracer file</i>
QRY	<i>dBASE IV Query (fichier de requêtes dBase)</i>
QT	<i>QuickTime movie (fichier multimédia au format QuickTime)</i>
QTC	<i>QuickTime file</i>
QTI	<i>QuickTime image (séquence vidéo QuickTime)</i>
QTIF	<i>QuickTime image</i>
QTL	<i>YUV file</i>
QTM	<i>QuickTime Movie (séquence vidéo QuickTime)</i>
QTO	
QTP	<i>QuickTime Preferences</i>
QTR	<i>QuickTime Resources</i>
QTS	<i>QuickTime file</i>
QTX	<i>QuickTime extension</i>
QUAD	<i>Object file (collection of quadrilaterals)</i>
QUE	<i>objet file d'attente du Planificateur de tâches</i>
QWK	<i>Qwk reader message file (fichier d'échange de messages avec des BBS)</i>
QXD	<i>QuarkXPress Document</i>
QXL	<i>QuarkXPress Element library</i>
R	<i>Ratfor (FORTRAN preprocessor) file</i>
R8	<i>PicLab Raw graphics (one byte per pixel) plane one</i>
R8L	<i>LaserJet landscape font</i>
R8P	<i>Intellifont Pcl 4 bitmap font file</i>
RA	<i>Real Audio file (fichier vidéo ou audio de RealPlayer)</i>
RAD	<i>Radiance file</i>
RAF	<i>Fuji S2 raw image file</i>
RAM	<i>Real Audio Ramfile (fichier vidéo ou audio de RealPlayer)</i>
RAR	<i>compressed file archive created by RAR (fichier archive compressé)</i>
RAS	<i>Sun Rasterfile graphics</i>
RAST	<i>Sun Rasterfile graphics</i>
RAT	<i>fichier du système de contrôle d'accès</i>

Extensions

RAT	<i>Rating system file</i>
RAT	<i>RATS Datafile</i>
RAW	<i>HSI Raw file</i>
RAW	<i>Raw RGB 24-bit graphics (image non compressée de grande taille)</i>
RAW	<i>Rdos Raw OPL capture format</i>
RAW	<i>Signed 8-bit PCM data</i>
RB	<i>Ruby program</i>
RBF	<i>Rbase Datafile</i>
RC	<i>emacs Configuration</i>
RC	<i>Resource script (Microsoft C/C++, Borland C++)</i>
RCC	
RCG	<i>Netscape newsgroup file</i>
RDF	<i>Geoworks UI Compiler Compiled UIC source code</i>
RDF	<i>Resource Description Framework file</i>
RDF0	
RDI	<i>Device-independent bitmap file (RIFF RDIB format)</i>
RDP	<i>connexion Bureau à distance</i>
RDX	<i>Reflex Datafile</i>
RE2JS	
REC	<i>EpilInfo Datafile</i>
REC	<i>fichier généré par Recover</i>
REC	<i>Sprint Record file</i>
REC	<i>Windows 3.x Recorded macro file</i>
RED	<i>Clarion Modula-2 Path info</i>
REF	<i>Cross-reference</i>
REG	<i>Corel programs Registration</i>
REG	<i>Registry file (inscription dans le Registre)</i>
REL	
RELS	<i>XML document (document XML)</i>
REM	<i>Remarks</i>
REP	<i>Qwk reader reply file (fichier d'échange de messages avec des BBS)</i>
REP	<i>Report (Report Designer, CodeReporter, DataBoss)</i>
REQ	<i>Request</i>
RES	<i>compiled resource (Microsoft C/C++, Borland C++)</i>
RES	<i>dBase resources</i>
REV	<i>Geoworks Revision file</i>
REX	<i>MIDI-OX script</i>
REX	<i>Oracle Report definition</i>
REX	<i>REXX source code file</i>
REZ	<i>Resource file</i>
RF	<i>Sun raster graphics</i>
RFT	<i>IBM DisplayWrite 4.0-5.1 Dca/RFT Revisable Format Text file</i>
RGB	<i>Silicon Graphics RGB image file</i>
RGBA	<i>Silicon Graphics RGB with alpha chanel image file</i>
RGD	<i>Registry Monitor data</i>
RGH	<i>ZZ Rough file</i>
RGs	
RGX	<i>ReaGeniX code generator Symbol tables info</i>
RH	<i>Borland C++ 4.5 Resource header file</i>
RI	<i>Lotus 1-2-3 Data</i>
RIA	<i>Alpharel Group IV raster graphics</i>
RIB	<i>3DReality Graphics in Renderman format</i>
RIC	<i>Ricoh Fax</i>
RIF	<i>Fractal Design Painter Riff bitmap graphics</i>
RIF	<i>Rockwell ADPCM format (Hotfax/Quicklink)</i>
RIFF	<i>Resource Interchange File Format</i>
RIP	<i>Remote Access Graphics</i>
RIX	<i>ColorRIX VGA Paint Bitmap graphics</i>
RL4	<i>Windows bitmap file</i>
RL8	<i>Windows bitmap file</i>
RLA	<i>SDSC Image Tool Wavefront raster image file</i>
RLB	<i>Harvard Graphics Data</i>
RLB	<i>Wavefront Raster file</i>
RLC	<i>Graphics 1bit/pixel scanner output</i>
RLC	<i>Image Systems RLC2 Graphic file</i>
RLC2	<i>Image Systems RLC2 Graphic file</i>
RLE	<i>Adex file</i>

Extensions

RLE	<i>InterGraph format file</i>
RLE	<i>Microsoft Windows Run Length Encoded BitMap file (image)</i>
RLE	<i>SDSC Image Tool Utah Run Length Encoded raster graphic</i>
RLL	<i>extension d'application</i>
RLZ	<i>CA-Realizer source code file</i>
RM	<i>Real Media (fichier vidéo ou audio de RealPlayer)</i>
RMF	<i>Adobe Webbuy Plug-in</i>
RMG	<i>fichier image mémoire PC Shell</i>
RMI	<i>RIFF-MIDI file (séquence MIDI, fichier numérique de musique)</i>
RMJ	<i>fichier vidéo ou audio de RealPlayer</i>
RMK	<i>Clipper RMake Makefile</i>
RMM	<i>fichier vidéo ou audio de RealPlayer</i>
RMVB	<i>fichier vidéo de RealPlayer</i>
RMX	<i>fichier vidéo ou audio de RealPlayer</i>
RN	<i>Xpl program for Nota Bene users</i>
RND	<i>AutoCAD AutoShade Rendering Slide</i>
RNL	<i>GTX Runlength raster graphics</i>
RNO	<i>VAX Runoff file</i>
ROCKWELL	<i>Rockwell 2/3/4-bit ADPCM data</i>
ROCKWELL-2	<i>Rockwell 2-bit ADPCM data</i>
ROCKWELL-3	<i>Rockwell 3-bit ADPCM data</i>
ROCKWELL-4	<i>Rockwell 4-bit ADPCM data</i>
ROL	<i>Roland Fm music AdLib Music file</i>
ROM	<i>Roland MT-32/CM32L/LAPC-1 control and PCM ROM dump</i>
RPBM	<i>Portable BitMap file</i>
RPBM	<i>Portable image file</i>
RPD	<i>RapidFile Database</i>
RPF	<i>Wavefront raster file</i>
RPGM	<i>Portable Greyscale file</i>
RPGM	<i>Portable image file</i>
RPL	<i>Replica Text document</i>
RPM	<i>Koala Paint file</i>
RPM	<i>Red Hat Package Manager archive</i>
RPNM	<i>Portable Image</i>
RPPM	<i>Portable image file</i>
RPPM	<i>Portable PixMap file</i>
RPT	<i>Report (fichier rapport PC Backup)</i>
RQY	<i>Microsoft Office Excel OLE DB query file</i>
RS	<i>Data file (Amiga Resource, Reassembler)</i>
RS	<i>Sun raster file</i>
RSB	<i>Red Storm format file</i>
RSC	<i>Resource file (fichier de ressources)</i>
RSP	<i>Response file</i>
RS_	<i>Resource fork of a Macintosh file</i>
RTF	<i>Microsoft Windows Rich Text Format file</i>
RTF	<i>Windows Help file script</i>
RTL	<i>NU 7.0 Run Time Library</i>
RTL	<i>text file</i>
RTP	<i>Rtpatch software update package data file</i>
RTS	<i>CA-Realizer Runtime library file</i>
RV	<i>fichier vidéo ou audio de RealPlayer</i>
RVW	<i>Review</i>
RWS	<i>Borland C++ Resource Workshop data file</i>
RWX	<i>RenderWare Script</i>
S	<i>AKAI S01/S900/S950/S1000/S1100/S2000/S2800/S3000/S3200 sample</i>
S	<i>Scheme source code file</i>
S	<i>Unix Assembly source code file</i>
S\$\$	<i>Sprint Temporary sort file</i>
S1A	<i>Yamaha EX5 all format</i>
S1M	<i>Yamaha EX5 waveforms format</i>
S1V	<i>Yamaha EX5 voices format</i>
S3I	<i>ScreamTracker 3 instruments</i>
S3M	<i>fichier musique "module" Amiga</i>
S3M	<i>Scream Tracker 3.0 module</i>
S3P	<i>AKAI MESA II/PC S-series program</i>
SAFARIEXTZ	<i>Safari Extension</i>
SAL	<i>SORITEC datafile</i>

Extensions

SAM	<i>Signed 8-bit PCM file (audio file)</i>
SAM	<i>text file (Samna, Lotus Ami/Ami Pro)</i>
SAR	<i>compressed file archive created by SAR</i>
SAS	<i>Statistical Analysis System file</i>
SAV	<i>backup file (fichier de sauvegarde)</i>
SAV	<i>configuration file</i>
SAV	<i>NetHack Saved game situation</i>
SB	<i>Signed byte (8-bit) data (audio file)</i>
SBC	
SBD	<i>Storyboard Editor Storyboard</i>
SBE	<i>Spybot Search & Destroy spyware exclude file</i>
SBI	<i>Creative Labs Sound Blaster FM Instrument file</i>
SBI	<i>Spybot Search & Destroy spyware include file</i>
SBK	<i>EMU SoundFont v1.x bank (banque de sons Sound Blaster)</i>
SBP	<i>Superbase 4 Dml program</i>
SBR	<i>Source Browser Support file</i>
SBS	<i>Spybot Search & Destroy spyware supplemental file</i>
SBT	<i>Suberbase 4 Notes related to record</i>
SC	<i>Framework II Display driver</i>
SC	<i>Paradox Pal script</i>
SC	<i>SciTex Continuous Tone file</i>
SC2	<i>MicroSoftX2 Screen file</i>
SC2	<i>Sample Cell II PC/Mac instruments</i>
SC3	<i>dBASE IV Renamed dBASE III screen mask file</i>
SC3	<i>Harvard Graphics 3.0 Screen device driver</i>
SCA	<i>Norton AntiVirus Scan</i>
SCA	<i>SCA Datafile</i>
SCC	<i>text file</i>
SCD	<i>Scan Conversion Object Description Language graphics</i>
SCD	<i>Schedule+ contacts</i>
SCF	<i>ScoreMaker Multimedia show</i>
SCF	<i>Symphony Spelling checker configuration</i>
SCF	<i>Windows Explorer command</i>
SCH	<i>ORCAD Schematics file</i>
SCH	<i>Schedule Publisher Project schedule</i>
SCHEMA	
SCI	<i>ColorRix file</i>
SCI	<i>SciFax Fax</i>
SCI	<i>System Configuration Information (fichier d'information de configuration système)</i>
SCM	<i>Scheme source code file</i>
SCN	<i>Kermit Screen file</i>
SCN	<i>sauvegarde de scénarios pour SimCity ou Flight Simulator</i>
SCO	<i>High score</i>
SCP	<i>BITCOM Script</i>
SCP	<i>script d'accès au Réseau à distance (document texte)</i>
SCR	<i>DOS Debug source code file</i>
SCR	<i>fichier graphique EGA Paint 2005</i>
SCR	<i>LocoScript Screen font</i>
SCR	<i>Screen snapshot (dBASE IV, Procomm Plus)</i>
SCR	<i>Script (Kermit, 1st Reader)</i>
SCR	<i>Sun Raster file</i>
SCR	<i>Windows 3.x Screen Saver (fichier de mise en veille standard de Windows)</i>
SCR	<i>Z80 Screen dump</i>
SCT	<i>FoxPro Screen memo</i>
SCT	<i>Lotus Screen Capture Text</i>
SCT	<i>SciTex Continuous Tone file</i>
SCT	<i>Windows Script component (composant de script Windows)</i>
SCX	<i>ColorRIX Bitmap graphics</i>
SCX	<i>FoxPro Screen</i>
SCX	<i>Stanford Chart</i>
SCY	<i>ReaGeniX Security file</i>
SD	<i>Sound Designer I file</i>
SD0	<i>Dali raw file</i>
SD1	<i>Dali raw file</i>
SD2	<i>Dali raw file</i>
SD2	<i>Sound Designer II data forks</i>
SD2	<i>Sound Designer II flattened file</i>

Extensions

SDA	dessin StarOffice 5.0
SDA	<i>Fidonet's Software Distribution Network file archive description</i>
SDB	
SDC	classeur StarOffice 5.0
SDD	présentation StarOffice 5.0
SDD	<i>StarPresentation file</i>
SDF	<i>SQL Server Compact Edition Database File</i>
SDF	<i>System Data Format file (fixed lenght ASCII text)</i>
SDG	fichier de configuration OpenOffice.org 1.1
SDI	<i>Software Distribution Network Info file</i>
SDK	<i>Roland S-5xx (S-50/S-51/S-330/W-30/S-500/S-550) and S-7xx (S-70/S-700/S-750/S-760/S-770/S-772) series floppy disk image</i>
SDL	<i>SmartDraw Library</i>
SDN	<i>Software Distribution Network compressed file archive</i>
SDS	diagramme StarOffice 5.0
SDS	<i>MIDI Sample Dump Standard dump file</i>
SDV	fichier de configuration OpenOffice.org 1.1
SDW	<i>Signed dword (32-bit) data</i>
SDW	<i>StarOffice 5.0 text file</i>
SDX	<i>MIDI Sample Dump Standard dump compacted by SDX</i>
SEA	<i>Self-Extracting compressed Macintosh file Archive</i>
SEC	<i>Disney Animation Studio Secured animation file</i>
SEC	fichier compressé PC Secure
SEC	<i>Pretty Good Privacy RSA System Secret key ring file</i>
SECSTORE	<i>Adobe Acrobat file</i>
SEP	<i>Printer separator page</i>
SEP	<i>TIFF bitmap file</i>
SEQ	<i>Atari animation file</i>
SEQ	<i>Bubble Chamber Sequential Instruction File</i>
SEQ	<i>Massiva song</i>
SEQ	<i>Notator pattern track</i>
SEQ	<i>Quartz Audio Master sequence file</i>
SEQ	<i>Sony Playstation MIDI sequence</i>
SEQ	<i>Stad file</i>
SES	<i>Clarion Modula-2 Session info</i>
SET	<i>1st Reader Configuration file</i>
SET	fichier de procédure de sauvegarde PC Backup
SET	<i>GRASP font file</i>
SET	<i>MicroSoft Backup template file</i>
SET	<i>Quartz Audio Master set</i>
SET	<i>Setup options file</i>
SET	<i>Symphony Driver sets created by Install</i>
SF	<i>IRCAM/MTU Sound File (CSound package, MixView sound sample editor)</i>
SF	<i>OS/2 WorkPlace Shell attribute storage</i>
SF1	banque de sons Sound Blaster
SF2	<i>EMU SoundFont 2.x sound bank (banque de sons Sound Blaster)</i>
SF2	<i>sampler patch</i>
SF2PACK	<i>MIDI Converter Studio packed Sound Font</i>
SFARK	<i>Melody Machine Compressed SoundFont</i>
SFCACHE	fichier cache ReadyBoost
SFD	<i>SoundStage sound data file</i>
SFF	<i>Structured Fax Format file</i>
SFI	<i>SIS Framgrabber Graphics</i>
SFI	<i>SoundStage sound info file</i>
SFI	<i>Ventura Publisher Printer font (HP LaserJet landscape)</i>
SFL	<i>Ventura Publisher Pcl 4 bitmap font (landscape)</i>
SFN	<i>SPX Font</i>
SFP	fichier de police écran
SFP	<i>Ventura Publisher Pcl 4 bitmap font (portrait)</i>
SFR	<i>Sonic Foundry sample resource file</i>
SFS	<i>Intellifont Pcl 5 scalable font file</i>
SFT	<i>ChiWriter Screen font</i>
SFW	<i>Seattle Film Works file</i>
SFZ	<i>Cakewalk SFZ v2 instruments</i>
SFZ	<i>rgc:audio SFZ v1 instruments</i>
SFZ	<i>sampler patch</i>
SG1	<i>Stanford Graphics</i>

Extensions

SGF	<i>Starwriter Document with graphics</i>
SGI	<i>Silicon Graphics RGB Image file</i>
SGL	document maître StarOffice 5.0
SGML	<i>Standard Generalized Markup Language file</i>
SGP	<i>STATGRAPHICS Plus Statistics</i>
SGRD	<i>KDE System Guard file</i>
SGT	<i>Signature Save/get keyboard macro</i>
SGU	<i>Band-in-a-Box file</i>
SH	<i>Unix ASCII file archive created by SHAR</i>
SH	<i>Unix shell script</i>
SH3	<i>Harvard Graphics 3.0 Presentation</i>
SHAR	<i>UNIX shell archive</i>
SHB	<i>CorelShow Background</i>
SHB	raccourci dans un document
SHC	
SHG	<i>Segmented-graphics bitmap</i>
SHH	fichier de définition pour le programme d'installation de Windows
SHK	<i>compressed Apple II file archive created by SHRINKIT</i>
SHM	<i>WordPerfect Library Shell macro</i>
SHN	<i>Shorten lossless compression</i>
SHP	<i>ARCview Shape file</i> (format de données pour le système d'information géospatiale ARCview de Environmental Systems Research Institute, Inc.)
SHP	<i>AutoCAD Shape file and source file for text fonts</i>
SHR	<i>Unix ASCII file archive created by SHAR</i>
SHS	<i>Scrap Object</i> (objet abîmé)
SHTM	<i>HyperText Markup Language file</i>
SHTML	<i>HyperText Markup Language file with embedded server-side includes (SSIs)</i>
SHW	<i>Presentation (Harvard Graphics 2.0, CorelShow)</i>
SHW	<i>WordPerfect Presentations Slide show</i>
SHX	<i>AutoCAD Shape entities</i>
SI	<i>SoftImage Bitmap file</i>
SID	<i>LizardTech MrSID format file</i>
SIF	<i>Windows NT Setup Installation Files info</i>
SIG	<i>PopMail Signature file</i>
SIG	<i>Signature Current program settings</i>
SIGN	<i>checksum file</i>
SIK	<i>Microsoft Word Backup file</i>
SIM	<i>Aurora file</i>
SIP	<i>pack d'icônes de Spider Player</i>
SIS	<i>Psion series 5 program</i>
SIT	<i>compressed Macintosh archive created by STUFFIT</i>
SJ1	<i>Sega SJ-1 DIGIO file</i>
SKJ	<i>Sekaiju sequence file</i>
SKN	<i>Skantek file</i>
SL	<i>S-Lang source code file</i>
SLB	<i>AutoCAD Slide library</i>
SLB	<i>AutoDesk Slide File</i>
SLC	<i>Telix Compiled SALT script</i>
SLD	<i>AutoCAD Slide</i>
SLD	<i>AutoDesk Slide File</i>
SLDM	diapositive Microsoft Office PowerPoint prenant en charge les macros
SLDX	diapositive Microsoft Office PowerPoint
SLI	<i>MAGICorp Slide Service Slide</i>
SLK	<i>Microsoft Office Excel file</i> (format d'importation de données Microsoft Office Excel)
SLK	<i>MultiPlan Sylk Symbolic Link format data file</i>
SLL	<i>Sound data file</i>
SLT	<i>Telix Salt (Script Application Language for Telix) script source</i>
SLUPKG-MS	coffret de licence numérique XrML
SM	<i>Samna Word Text file</i>
SM	<i>ScriptMaker Script</i>
SM	<i>Smalltalk source code file</i>
SM	<i>SoftSpoken Mailer Maillist</i>
SMD	<i>J-Phone/SmdEd mobile song</i>
SMF	formule StarOffice 5.0
SMF	<i>SMARTFAX Fax</i>
SMI	<i>Self-Mounting Image</i>
SMM	<i>Ami Pro Macro</i>

Extensions

SMP	<i>Ad Lib Gold sample</i>
SMP	<i>Avalon sample</i>
SMP	<i>DigiTracker sample</i>
SMP	<i>Fast Tracker sample (sound file)</i>
SMP	<i>Sample Vision file</i>
SMP	<i>Xionics file</i>
SMT	<i>Smart Ware II Text file</i>
SNA	<i>Z80 Spectrum snapshot file</i>
SND	<i>AKAI MPC-60/2000/2000XL/3000 sample file</i>
SND	<i>Digitized sound file (Macintosh/ATARI/PC)</i>
SND	<i>Unsigned 8-bit PCM data</i>
SNDR	<i>Sounder sound file</i>
SNDT	<i>SndTools sound file</i>
SNG	<i>DrumBox song</i>
SNG	<i>Song, MIDI sound (Midisoft Studio, Prism)</i>
SNM	<i>Netscape mail</i>
SNO	<i>Snobol4 source code file</i>
SNP	<i>Output video format from Computer Eyes equipment</i>
SO	<i>Shared library</i>
SOB	<i>fichier de configuration OpenOffice.org 1.1</i>
SOC	<i>fichier de configuration OpenOffice.org 1.1</i>
SOD	<i>fichier de configuration OpenOffice.org 1.1</i>
SOE	<i>fichier de configuration OpenOffice.org 1.1</i>
SOG	<i>fichier de configuration OpenOffice.org 1.1</i>
SOH	<i>fichier de configuration OpenOffice.org 1.1</i>
SOL	<i>Solution (eg. game walkthroughs)</i>
SOM	<i>Paradox Sort information</i>
SOM	<i>Quattro Pro Network serial numbers</i>
SON	<i>Notator song</i>
SON	<i>SB Studio II song</i>
SOU	<i>SB Studio II sound file</i>
SOU	<i>Sound data (fichier son d'origine Unix)</i>
SP	<i>compressed file archive created by SPLINT (Unix)</i>
SPC	<i>certificat PKCS #7</i>
SPC	<i>MicroSoft Multiplan Program</i>
SPC	<i>Spectrum 512 compressed file</i>
SPC	<i>WordPerfect Temporary file</i>
SPD	<i>Harvard Graphics 3.0 Scalable font</i>
SPD	<i>Speech data file</i>
SPD	<i>Speedo scalable font</i>
SPF	<i>EnerGraphics Slide presentation file</i>
SPF	<i>SiteGenWiz Project File</i>
SPG	<i>Sprint Glossary</i>
SPI	<i>Graphics (Siemens and Philips scanner)</i>
SPL	<i>compressed file archive created by SPLINT</i>
SPL	<i>Digitrakker sample</i>
SPL	<i>HPGL-2 file</i>
SPL	<i>ShockWave Flash object</i>
SPL	<i>Signature Personal spell dictionary</i>
SPL	<i>Sprint Customized printer driver</i>
SPL	<i>Windows 3.x Print spooling file</i>
SPM	<i>WordPerfect Data</i>
SPP	<i>Sprint Printer file</i>
SPPACK	<i>SPPack sound sample</i>
SPR	<i>FoxPro Genarated screen program</i>
SPR	<i>Sprint Document letter</i>
SPR	<i>Sprite</i>
SPS	<i>Spectrum 512 smooshed file</i>
SPS	<i>Sprint Screen driver</i>
SPS	<i>Statistical Product and Service Solutions file</i>
SPS	<i>VAX/VMS Spssx source code file</i>
SPSS	<i>Statistical Product and Service Solutions file</i>
SPT	<i>MITAC disk/system management utility pack Support file</i>
SPT	<i>RASMOl Script file</i>
SPT	<i>Spitbol source code file</i>
SPU	<i>Spectrum 512 file</i>
SPW	<i>SigmaPlot Worksheet</i>

Extensions

SPX	<i>FoxPro Compiled screen program</i>
SQB	<i>SyQuest Backup file</i>
SQL	<i>SQL report or query (instructions en Structured Query Language pour l'interrogation des bases de données)</i>
SQZ	<i>compressed file archive created by SQUEEZE (fichier compressé)</i>
SR	<i>Sun raster file</i>
SR2	<i>Sony raw image file</i>
SRC	<i>DataFlex Source</i>
SRF	<i>Panasonic DMC-LC1 raw file</i>
SRF	<i>Sony DSC-F828 raw file</i>
SRF	<i>Sun Raster File graphics</i>
SRF	<i>TerraGen 'Surface map' file</i>
SRP	<i>QuickLink Script</i>
SS	<i>Splash Bitmap graphics</i>
SSD	<i>SAS/PC Datafile</i>
SSI	<i>SriSun file</i>
SSM	<i>RealPlayer Standard Streaming Metafile</i>
SSP	<i>SAS Transport datafile</i>
SSP	<i>SoftStep module</i>
SSP	<i>SubSynth patch file</i>
SST	<i>magasin de certificats sérialisés MicroSoft</i>
ST	<i>Little Smalltalk source code file</i>
ST	<i>NeoPaint Stamp</i>
ST	<i>Scream Tracker Instrument library</i>
ST4	<i>SBIG CCD Camera ST-4 file</i>
ST4	<i>SBIG CCD Camera ST-X file</i>
ST5	<i>SBIG CCD Camera ST-X file</i>
ST6	<i>SBIG CCD Camera ST-X file</i>
ST7	<i>SBIG CCD Camera ST-X file</i>
ST8	<i>SBIG CCD Camera ST-X file</i>
STA	<i>BeatCreator state file</i>
STA	<i>Reflection 4.0 Saved state</i>
STA	<i>Spinmaker Plus Stack</i>
STB	<i>Genus GX Kernel Stub library</i>
STC	<i>modèle de classeur OpenOffice.org 1.1</i>
STD	<i>LocoScript file</i>
STD	<i>modèle de dessin OpenOffice.org 1.1</i>
STD	<i>Prosa State Transition Diagram graphic file</i>
STF	<i>compressed file archive created by SHRINKTOFIT</i>
STF	<i>Space Toad file</i>
STI	<i>modèle présentation OpenOffice.org 1.1</i>
STL	<i>liste de certificats de confiance</i>
STM	<i>Prosa State Transition Diagram model file</i>
STM	<i>ScreamTracker 2 module</i>
STO	<i>Genus GX Kernel Pascal stub OBJ file</i>
STP	<i>Stomper settings file</i>
STR	<i>dBASE Application Generator Structure list object file</i>
STRINGS	
STS	<i>Creamware STS-series sampler program</i>
STS	<i>fichier d'état MemMaker</i>
STS	<i>MicroSoft C/C++ Project status info</i>
STS	<i>Scream Tracker Song</i>
STT	<i>Space Toad track</i>
STU	<i>Stomper settings file</i>
STW	<i>OpenOffice.org text document template (modèle de texte OpenOffice.org 1.1)</i>
STW	<i>SmartTerm Data file</i>
STX	<i>CA-Simply Tax Tax form</i>
STX	<i>SBIG CCD Camera ST-X file</i>
STX	<i>SmarText Electronic book</i>
STY	<i>Style library or sheet (feuille de style MicroSoft Word)</i>
SUB	<i>Matizha Sublime project</i>
SUB	<i>SubBastard settings file</i>
SUI	<i>Suit (Simple User Interface Toolkit) library</i>
SUL	<i>GFA Raytrace file</i>
SUM	<i>checksum file</i>
SUM	<i>Summary</i>
SUN	<i>Sun rasterfile graphics</i>

Extensions

SUNIFF	<i>Sun TAAC format file</i>
SUP	<i>WordPerfect Supplementary dictionary</i>
SVD	<i>MicroSoft Word Autosave file for document</i>
SVG	<i>MicroSoft Word Autosave file for glossary</i>
SVG	<i>Scalable Vector Graphics file</i>
SVGZ	<i>Scalable Vector Graphics file (compressé)</i>
SVQ	<i>Roland sequencer file</i>
SVS	<i>MicroSoft Word Autosave file for style sheet</i>
SVX	<i>Amiga 8SVX sound file</i>
SVX	<i>Interchange file format</i>
SW	<i>Signed word (16-bit) data (audio file)</i>
SWF	<i>Macromedia ShockWave Flash object</i>
SWG	<i>SWAG Reader Swag packet</i>
SWP	<i>DOS Swap file (fichier d'échange temporaire MicroSoft Windows)</i>
SWP	<i>Sprint Document backup</i>
SXC	<i>OpenOffice.org Calc file (tableur OpenOffice.org 1.1)</i>
SXD	<i>OpenOffice.org Draw file (dessin OpenOffice.org 1.1)</i>
SXG	<i>document maître OpenOffice.org 1.1</i>
SXI	<i>OpenOffice.org Impress file (présentation OpenOffice.org 1.1)</i>
SXM	<i>Formula Graphics Multimedia System mangle</i>
SXM	<i>OpenOffice.org Formula file (formule OpenOffice.org 1.1)</i>
SXT	<i>Formula Graphics Multimedia System script</i>
SXT	<i>Propellerheads Reason NN-XT format</i>
SXW	<i>OpenOffice.org Writer file (document texte OpenOffice.org 1.1)</i>
SY1	<i>Ami Pro Smartpix symbol library</i>
SY1	<i>images Lotus SmartPics</i>
SY3	<i>Harvard Graphics 3.0 Symbol file</i>
SYD	<i>Backup of startup files created by QEMM (sauvegarde des fichiers système)</i>
SYD	<i>Syd file</i>
SYL	<i>SYLK spreadsheet format</i>
SYM	<i>Borland C++ Precompiled headers</i>
SYM	<i>Harvard Graphics 2.0 Symbol file</i>
SYM	<i>Program symbol table</i>
SYM	<i>sauvegarde des fichiers système</i>
SYN	<i>MicroSoft Word 5 Synonym file</i>
SYN	<i>SDSC Image Tool Sdsc Synu image file</i>
SYN	<i>SimSynth file</i>
SYN	<i>Synthetic Universe file</i>
SYNU	<i>Synthetic Universe file</i>
SYS	<i>Datafile (SYGRAPH, SYSTAT, SPSS/PC)</i>
SYS	<i>DOS System file (fichier système)</i>
SYS	<i>Windows bitmap file</i>
SYX	<i>MIDI-OX Generic System Exclusive file</i>
SYX	<i>Roland D-50 patch SysEx dump</i>
SYX	<i>Roland MT-32 (and compatibles) timbre SysEx dump</i>
SYX	<i>Yamaha DX7/DX7s/DX7II/DX11/DX21/DX27/DX100/DX200/TX81z voice SysEx dump</i>
SYW	<i>Harvard Graphics Graphics symbols</i>
SYW	<i>Yamaha SY-series wave file</i>
T	<i>ReaGeniX code generator Tester symbol table</i>
T	<i>Tads source</i>
T	<i>Tape Archive (TAR) without compression</i>
T44	<i>dBASE IV Temporary file for Sort or Index</i>
T64	<i>C64S emulator Program</i>
TAAC	<i>Sun TAAC format file</i>
TAB	<i>tablature ASCII Guitar Pro</i>
TAB	<i>MapInfo file</i>
TAG	<i>DataFlex Query tag name</i>
TAH	<i>Borland C++ Turbo Assembler Help file</i>
TAL	<i>TypeAlign Text illustration</i>
TAR	<i>compressed Tape Archive file created by TAR (fichier archive non compressé sous Unix)</i>
TARGA	<i>TrueVision Targa file</i>
TARGETS	
TAR.Z	<i>compressed ASCII file archive created by TAR and COMPRESS</i>
TAZ	<i>compressed ASCII file archive created by TAR and COMPRESS</i>
TB1	<i>Borland Turbo C Font file</i>
TB2	<i>Borland Turbo C Font file</i>
TBF	<i>Imavox TurboFax Fax</i>

Extensions

TBK	<i>Asymetrix ToolBook multimedia document</i>
TBK	<i>Memo backup (dBASE IV, FoxPro)</i>
TBL	<i>OS/2 Table of values</i>
TBL	<i>PageMaker TableEditor Graphics</i>
TBL	<i>Tablature file</i>
TBS	<i>MicroSoft Word file</i>
TBX	<i>Project Scheduler 4 Table</i>
TBZ	<i>archive</i>
TC	<i>Configuration file (Turbo C, Borland C++)</i>
TCF	
TCH	<i>Borland C++ Turbo C Help file</i>
TCL	<i>Swat Tool Command Language source code</i>
TCW	<i>TurboCAD Drawing</i>
TD	<i>Turbo Debugger Configuration file</i>
TD0	<i>Teledisk Disk image file</i>
TD2	<i>Turbo Debugger Configuration file</i>
TDB	<i>TACT Database</i>
TDF	<i>Speedo Typeface definition file</i>
TDF	<i>TheDraw Font</i>
TDH	<i>Turbo Debugger Help file</i>
TDI	<i>Disc Image file</i>
TDI	<i>Explore (TDI) & Maya file</i>
TDIM	<i>Digital F/X file</i>
TDK	<i>Turbo Debugger Keystroke recording file</i>
TDP	<i>Disc Image file</i>
TDS	<i>Turbo Debugger Symbol table</i>
TDW	<i>Turbo Debugger Configuration file</i>
TEF	<i>Relisys TEFAX Fax</i>
TEL	<i>Telnet Host file</i>
TEM	<i>Borland C++ Turbo Editor Macro Language script</i>
TEM	<i>IconAuthor Input template</i>
TEMPLATE	
TER	<i>TerraGen 'Terrain' file</i>
TEX	<i>Idealist Datasheet</i>
TEX	<i>Paint Shop Pro texture file</i>
TEX	<i>Scientific Word TeX text file</i>
TF	<i>Turbo Profiler Configuration file</i>
TFA	<i>Turbo Profiler Area file</i>
TFC	<i>Tobi's Floppy Cataloguer Catalogue file</i>
TFH	<i>Turbo Profiler Help file</i>
TFM	<i>Intellifont Tagged font metric file</i>
TFM	<i>TeX Font Metric file</i>
TFS	<i>Turbo Profiler Statistics</i>
TG1	<i>On Target Project file</i>
TG4	
TGA	<i>MicroSoft Digital Image document</i>
TGA	<i>Truevision Targa bitmap graphics</i>
TGS	<i>TerraGen Script</i>
TGW	<i>TerraGen file</i>
TGZ	<i>compressed file archive created by TAR and GNUzip</i>
THD	<i>Thread of several forum messages with the same subject</i>
THEME	<i>fichier Thème de Bureau</i>
THM	<i>fichier de configuration OpenOffice.org 1.1</i>
THMX	<i>MicroSoft Office Theme</i>
THN	<i>Thumbnail file</i>
THS	<i>Thundersite file</i>
THS	<i>WordPerfect Thesaurus dictionary</i>
TIF	<i>Tagged Image File Format bitmap graphics</i>
TIFF	<i>Tagged Image File Format bitmap graphics</i>
TIL	<i>Togai InfraLogic Fuzzy-C Compiler Fuzzy logic knowledge base</i>
TIM	<i>Sony Playstation TIM PSX file</i>
TIM	<i>Tagged Image File Format</i>
TIS	<i>MahJongg 3.0 Tile set</i>
TJL	<i>VAXTPU editor Backup file</i>
TLB	<i>Bubble Chamber Reference table</i>
TLB	<i>VAX Text library</i>
TLB	<i>Visual C++ Type library</i>

Extensions

TLC	<i>Swat Compiled Tool Command Language source code</i>
TLP	<i>TimeLine Project</i>
TM2	<i>Sony PS2 TIM file</i>
TMF	<i>WordPerfect Tagged Font Metric file</i>
TML	<i>DDClip timeline project</i>
TMO	<i>Zortech C++ Ztg global optimizer default output file</i>
TMP	<i>Temporary file (fichier temporaire Windows)</i>
TMPL	
TMS	<i>Telemate Script</i>
TN1	<i>Tiny file</i>
TN2	<i>Tiny file</i>
TN3	<i>Tiny file</i>
TNFO	<i>Spybot Search & Destroy internal informations</i>
TNY	<i>Tiny file</i>
TOC	<i>Table Of Contents</i>
TOS	<i>Atari ST Self-extracting file archive</i>
TP	<i>Turbo Pascal Configuration file</i>
TP	<i>Turbo Profiler Session-state file</i>
TP3	<i>Harvard Graphics 3.0 Template</i>
TPB	<i>HiJaak Downloadable PCL Soft font file backup</i>
TPF	<i>HiJaak Downloadable PCL Soft font file</i>
TPH	<i>Turbo Pascal Help file</i>
TPL	<i>Harvard Graphics 2.0 Template</i>
TPL	<i>Turbo Pascal Resident units library</i>
TPP	<i>Borland Pascal 7.0 Protected Mode Units</i>
TPU	<i>Turbo Pascal Unit</i>
TPU	<i>VAXTPU editor Command file</i>
TPW	<i>Turbo Pascal Unit</i>
TPW	<i>Turbo Profiler Session-state file</i>
TPZ	<i>compressed file archive created by TAR and GNUzip</i>
TR	<i>Man page input suitable for troff -man</i>
TR	<i>Turbo Debugger Session-state settings</i>
TR2	<i>Turbo Debugger Session-state settings</i>
TRC	<i>Power CTrace Debug support file</i>
TRE	<i>PC-Tools Directory tree file</i>
TRK	<i>Rave track file</i>
TRM	<i>MicroSoft Windows 3.x Terminal settings</i>
TRN	<i>Quattro Translation support file</i>
TRS	<i>Micrografx Executable file</i>
TRW	<i>Turbo Debugger Session-state settings</i>
TST	<i>WordPerfect Printer test file</i>
TTC	<i>TrueType compressed font (fichier police de collection TrueType)</i>
TTF	<i>TrueType Font file (fichier de police TrueType)</i>
TTS	
TTY	<i>fichier capture TwinTalk</i>
TU	<i>Tuareg track</i>
TU2	<i>Tuareg track</i>
TUB	<i>Paint Shop Pro picture tube file</i>
TUT	<i>Tutorial</i>
TUW	
TV	<i>Paradox Table view settings</i>
TV1...9	<i>WordPerfect Overflow file above insert point in Doc 1...9</i>
TVD	<i>Yamaha Tyros 2 custom drum voice file</i>
TVF	<i>dBASE Table view settings</i>
TVN	<i>Yamaha Tyros 2 custom voice file</i>
TWK	<i>script (source) TwinTalk</i>
TX8	<i>MS-DOS text file</i>
TXF	<i>compressed file archive created by TAR and FREEZE</i>
TXI	<i>TeX Support file</i>
TXM	<i>Sample MIDI-OX mapping file</i>
TXT	<i>ASCII text file (document texte)</i>
TXT	<i>RTTTL / Nokring mobile ring-tone</i>
TXT	<i>Steinberg LM-4 bank</i>
TXW	<i>Yamaha TX16W wave file</i>
TYM	<i>PageMaker 4 Time Stamp</i>
TZ	<i>compressed file archive created by TAR and COMPRESS</i>
TZB	<i>compressed file archive created by TAR - COMPRESS - BTOA</i>

Extensions

U255LAW	<i>Exponential 8-bit format</i>
UAX	<i>Unreal Tournament audio package</i>
UB	<i>Unsigned byte (8-bit) data (audio file)</i>
UC2	<i>compressed file archive created by UltraCompressor II</i>
UCN	<i>new compressed file archive created by UltraCompressor II</i>
UD	<i>dictionnaire utilisateur OmniPage</i>
UDF	<i>Photostyler Filter</i>
UDL	<i>MicroSoft Data link (liaison de données MicroSoft)</i>
UDT	
UDW	<i>Unsigned dword (32-bit) data</i>
UE2	<i>encrypted file archive created by UltraCompressor II</i>
UFO	<i>Ulead object file</i>
UHS	<i>Universal Hint System binary file</i>
UI	<i>Geoworks UI Compiler Espire source code file</i>
UI	<i>Sprint User interface</i>
UIF	<i>Magic ISO file</i>
UIF	<i>WordPerfect Long prompts for windows</i>
UIH	<i>Geoworks UI Compiler Espire header file</i>
UL	<i>Ulaw audio file</i>
ULAW	<i>G.711 mu-law US telephony format</i>
ULD	<i>Procomm Plus Information about uploaded files</i>
ULS	<i>service de coordonnées InterNet</i>
ULT	<i>UltraTracker module</i>
ULW	<i>G.711 mu-law US telephony format</i>
UMB	<i>MemMaker Backup file</i>
UMX	<i>Unreal Tournament music package</i>
UNI	<i>Amiga Soundtracker audio file</i>
UNI	<i>Forecast Pro Datafile</i>
UNI	<i>MikMod Unimod music module</i>
UNT	
UNX	<i>Text file containing UNIX specific info</i>
UPD	<i>dBASE Update data</i>
UPD	<i>Program update info</i>
UPO	<i>dBASE Compiled update data</i>
UPP	
URL	<i>Uniform Ressource location (InterNet shortcut, raccourci InterNet)</i>
URT	<i>Utah raster image</i>
USL	<i>LaserJet landscape font</i>
USP	<i>PageMaker Printer font with USASCII extended character set</i>
USR	<i>User database file (Procomm Plus, Turbo C++)</i>
UTI	<i>Spybot Search & Destroy usage tracks include file</i>
UTS	<i>Spybot Search & Destroy usage tracks supplemental file</i>
UU	<i>compressed ASCII file archive created by UUDE/ENCODE</i>
UUD	<i>UUEncode file</i>
UUE	<i>compressed ASCII file archive created by UUENCODE</i>
UVD	<i>Yamaha Tyros 3 custom drum voice file</i>
UVN	<i>Yamaha Tyros 3 custom voice file</i>
UW	<i>Unsigned word (16-bit) data (audio file)</i>
UWF	<i>UltraTracker wave file</i>
UXDC	
UYVY	<i>YUV file</i>
V	<i>ReaGeniX code generator Consistency check support file</i>
V	<i>Vivid 2.0 Main input file for an image</i>
V6	
V8	<i>Covox 8-bit audio</i>
VAB	<i>Sony Playstation/PS2 bank file</i>
VAB	<i>Visual Album file</i>
VAG	<i>Sony Playstation/PS2 compressed sound file</i>
VAL	<i>dBASE Application Generator Values list object file</i>
VAL	<i>Paradox Validity checks and referential integrity</i>
VAN	<i>VistaPro Animation</i>
VAP	<i>Annotated speech file</i>
VAR	<i>IconAuthor Variable file</i>
VBE	<i>fichier de script codé VBScript</i>
VBP	<i>Visual Basic Project</i>
VBS	<i>Visual Basic Script file (fichier de script Visual Basic Script)</i>
VBX	<i>Visual Basic eXtension (outils supplémentaires pour Visual Basic)</i>

Extensions

VSD	<i>Shapeware Visio Diagram</i>
VSH	<i>VShield configuration file</i>
VSM	<i>VisSim Simulation model</i>
VSP	<i>SPX Sprite</i>
VSQ	<i>Vocaloid2 sequence file</i>
VSS	<i>MicroSoft Visio document</i>
VSS	<i>Shapeware Visio Smartshapes file</i>
VST	<i>MicroSoft Visio document</i>
VST	<i>TrueVision Targa bitmap file</i>
VST	<i>Truevision Vista bitmap graphics</i>
VSX	<i>MicroSoft Visio document</i>
VTX	<i>MicroSoft Visio document</i>
VUE	<i>3D Studio Animation</i>
VUE	<i>View (dBASE IV, FoxPro)</i>
VW	<i>Volkswriter Text file</i>
VWR	<i>PC Tools File viewer file</i>
VXD	<i>Virtual eXtended Driver (pilote de périphérique virtuel)</i>
W	<i>Applause Word chart file</i>
W2A	<i>Yamaha Motif all format</i>
W2V	<i>Yamaha Motif voices format</i>
W2W	<i>Yamaha Motif waveforms format</i>
W30	<i>Printer font (AST TurboLaser, Ventura Publisher)</i>
W31	<i>Windows 3.1 Startup file</i>
W44	<i>dBASE Temporary file for Sort or Index</i>
W64	<i>Sonic Foundry Wave-64 format</i>
W7A	<i>Yamaha Motif ES all format</i>
W7V	<i>Yamaha Motif ES voices format</i>
W7W	<i>Yamaha Motif ES waveforms format</i>
WA!	<i>GigaStudio/GigaSampler compressed wave file</i>
WAB	<i>Outlook Address book (carnet d'adresse d'Outlook)</i>
WAD	<i>Doom Game File</i>
WAL	<i>Winamp skins</i>
WAP	<i>Wireless BitMap file</i>
WAR	<i>archive</i>
WAV	<i>Broadcast wave format</i>
WAV	<i>MicroSoft Windows Waveform audio file (RIFF WAVE format)</i>
WAX	<i>Windows Media Audio file (raccourci audio Windows Media)</i>
WB1	<i>Quattro Pro Notebook</i>
WB2	<i>Quattro Pro Spreadsheet</i>
WBCAT	<i>fichier du catalogue de sauvegarde MicroSoft Windows</i>
WBF	<i>Microsoft Windows Batch File</i>
WBK	<i>MicroSoft Word Backup file</i>
WBK	<i>WordPerfect Document/workbook</i>
WBM	<i>Wireless BitMap file</i>
WBMP	<i>Wireless BitMap file</i>
WBT	<i>WinBatch Batch file</i>
WCD	<i>WordPerfect Macro token list</i>
WCM	<i>MicroSoft Works DataBase (base de données Microsoft Works)</i>
WCM	<i>WordPerfect Macro</i>
WCP	<i>Windows 98 Configurator profile</i>
WCP	<i>WordPerfect Product information description</i>
WD0	<i>WinDisco file</i>
WDB	<i>MicroSoft Works DataBase (base de données Microsoft Works)</i>
WDO	<i>Formula Graphics Multimedia System bitmap</i>
WDP	<i>photographie Windows Media</i>
WEB	<i>Web source code file</i>
WEBALLOWBLOCKLIST	<i>notification du contrôle parental Windows</i>
WEBPNP	<i>support d'impression InterNet</i>
WEJ	<i>Namo WebEditor project</i>
WFB	<i>Turtle Beach WaveFront bank</i>
WFD	<i>Turtle Beach WaveFront drum set</i>
WFM	<i>dBASE Form Designer Form object</i>
WFN	<i>CorelDraw Font</i>
WFP	<i>Turtle Beach WaveFront program</i>
WFX	<i>WinFax Data file</i>
WG1	<i>Lotus 1-2-3/G Worksheet</i>
WG2	<i>Lotus 1-2-3 Worksheet</i>

Extensions

WHT	document de l'ancien Tableau blanc MicroSoft NetMeeting
WHTT	WinHTTrack Website copier project
WIC	J Wavelet Image Codec file
WID	Ventura Publisher Width table
WIF	Image document
WIH	
WIN	Window file (FoxPro, dBASE)
WIZ	MicroSoft Publisher Page wizard
WIZ	MicroSoft Word Wizard (assistant MicroSoft Word)
WK1	classeur OpenOffice
WK1	Spreadsheet (Lotus 1-2-3 version 2.x, Symphony 1.1+)
WK2	Lotus file
WK3	Lotus 1-2-3 version 3.x spreadsheet (fichier tableur Lotus 1.2.3)
WK4	Lotus 1-2-3 version 3.4 Spreadsheet
WKB	WordPerfect Document
WKE	Lotus 1-2-3 educational version Spreadsheet
WKQ	Quattro Spreadsheet
WKS	Spreadsheet (Lotus 1-2-3 version 1A, Symphony 1.0, MicroSoft Works)
WKS	Xlisp Workspace
WLF	id Software Music Format (700 Hz)
WLG	Dr Watson Log
WLK	Virtus Walkthrough Graphics
WLL	MicroSoft Word add-in
WLR	VRML page
WM	Windows Media audio/video file (fichier audio/vidéo Windows Media)
WMA	Windows Media Audio file (fichier audio Windows Media)
WMC	Backup of startup files by Windows MathCad
WMC	WordMARC Text file
WMC	WordPerfect Macro file
WMD	ensemble de téléchargement du lecteur Windows Media
WMDB	bibliothèque Windows Media
WME	session du Codeur Windows Media
WMF	image PaintBrush
WMF	Windows & Aldus MetaFile vector graphics
WMP	Windows Media Player file
WMS	fichier d'apparence du lecteur Windows Media
WMV	Windows Media Video file (fichier audio/vidéo Windows Media)
WMX	sélection audio/vidéo du lecteur Windows Media
WMZ	ensemble d'apparences du Lecteur Windows Media (skins)
WMZ	Windows compressed metafile
WN	NeXT WriteNow Text
WNF	CorelDraw Outline font description
WOA	Windows 3.x Swap file
WOC	Windows OrgChart Organization
WOW	Grave Composer module
WOW	Grave Mod Player Music (8 channels)
WP	WordPerfect 4.2 Text file
WP3	PhotoStory 3 document
WP5	WordPerfect 5.x Document
WPD	texte OpenOffice
WPD	WordPerfect 6.0 Document
WPF	WordPerfect Form
WPF	WorldPort Fax
WPG	Wordperfect Graphics vector graphics (DrawPerfect)
WPJ	fichier de projet MicroSoft Works
WPK	WordPerfect Macros
WPL	sélection Windows Media
WPM	WordPerfect Macros
WPS	MicroSoft Works WordProcessor Text document (fichier du traitement de texte MicroSoft Works)
WPT	MicroSoft Works WordProcessor template file (traitement de texte MicroSoft Works)
WPT	WordPerfect Template
WQ!	Quattro Pro Compressed spreadsheet
WQ1	Quattro Pro Spreadsheet (fichier tableur Quattro Pro)
WR1	Symphony Spreadsheet
WRD	Charisma Template
WRF	Westacott WinRanX instrument file

Extensions

WRI	<i>MicroSoft Windows Write Text file</i>
WRK	<i>CakeWalk work file</i>
WRK	<i>Symphony 1.0 Spreadsheet</i>
WRL	<i>Virtual Reality Modeling Language 2 file</i>
WRP	<i>compressed Amiga file archive created by WARP</i>
WRS	<i>WordPerfect Windows Resource</i>
WRZ	<i>Virtual Reality Modeling Language file</i>
WS	<i>WordStar 5.0-6.0 Text file</i>
WS2	<i>WordStar 2000 Text file</i>
WS3	<i>WordStar for Windows 3 document</i>
WS4	<i>WordStar for Windows 4 document</i>
WS5	<i>WordStar for Windows 5 document</i>
WS6	<i>WordStar for Windows 6 document</i>
WS7	<i>WordStar for Windows 7 document</i>
WSB	<i>fichier Microsoft Works Portfolio</i>
WSC	<i>Windows Script component (composant de script Windows)</i>
WSD	<i>WordStar Document</i>
WSF	<i>Windows Script file</i>
WSH	<i>Windows Scripting Host Settings file (fichier de paramètres d'hôte Windows Script)</i>
WSP	<i>Fortran PowerStation Workspace</i>
WST	<i>WordStar Text file</i>
WTS	
WTX	<i>document texte</i>
WUSIKPACK	<i>Wusikstation pack file</i>
WUSIKSND	<i>Wusikstation sound file</i>
WV	<i>WavPack losslessly compressed file</i>
WVL	<i>Wavelet compressed bitmap file</i>
WVX	<i>sélection audio/vidéo Windows Media</i>
WWB	<i>WordPerfect Button bar for document window</i>
WWK	<i>WordPerfect Keyboard layout</i>
WWP	
WXP	<i>EXP Document</i>
X	<i>Lex source code file</i>
X	<i>SDSC Image Tool Stardent AVS X image file</i>
X01...09	<i>Paradox Secondary index</i>
X0A	<i>Yamaha Motif XS all format</i>
X0V	<i>Yamaha Motif XS voices format</i>
X0W	<i>Yamaha Motif XS waveforms format</i>
X11	<i>X Windows System window dump</i>
X3A	<i>Yamaha Motif XF all format</i>
X3D	
X3F	<i>Sigma raw image file</i>
X3V	<i>Yamaha Motif XF voices format</i>
X3W	<i>Yamaha Motif XF waveforms format</i>
XAML	<i>fichier de balisage Windows</i>
XAR	<i>Corel Xara drawing file</i>
XBA	<i>fichier de configuration OpenOffice.org 1.1</i>
XBAP	<i>application du navigateur XAML</i>
XBM	<i>X11 BitMap file</i>
XCF	<i>Gimp Bitmap file</i>
XCS	<i>fichier de configuration OpenOffice.org 1.1</i>
XCU	<i>fichier de configuration OpenOffice.org 1.1</i>
XDC	
XDL	<i>fichier de configuration OpenOffice.org 1.1</i>
XDO	<i>Formula Graphics Multimedia System bitmap</i>
XDP	<i>formulaire XML Adobe Acrobat</i>
XEVGENXML	
XDFD	<i>Adobe Acrobat forms document</i>
XFN	<i>Ventura Publisher Printer font (Xerox 4045)</i>
XFT	<i>ChiWriter 24 pin printer font</i>
AFX	<i>Fax File</i>
XHTML	
XI	<i>Fast Tracker extended instrument</i>
XI	<i>ScreamTracker Instrument file</i>
XIF	<i>Wang image file</i>
XIF	<i>Xerox Image Format file</i>
XIM	<i>XImage file</i>

Extensions

XIZ	
XJF	fichier de travail OmniPage Batch Manager
XJT	fichier de travail OmniPage Batch Manager
XLA	<i>Microsoft Excel Add-in macro sheet</i> (fichier de macro-commandes complémentaires de Microsoft Office Excel)
XLA	<i>Xlib Archive</i>
XLAM	complément Microsoft Office Excel
XLB	<i>Microsoft Office Excel toolbar file</i>
XLC	<i>Microsoft Office Excel Chart document</i> (fichier du tableau Microsoft Excel)
XLG	fichier contenant un graphique réalisé sous Excel
XLK	<i>Microsoft Excel backup file</i> (fichier de sauvegarde Microsoft Office Excel)
XLL	<i>Microsoft Excel Dynamic Link Library</i> (complément Microsoft Office Excel)
XLM	<i>Microsoft Excel Macro sheet</i> (fichier de macro-commandes de Microsoft Office Excel 4.0)
XLR	tableur Microsoft Works 8
XLS	<i>Microsoft Office Excel SpreadSheet</i> (feuille Microsoft Office Excel 97-2003)
XLSB	feuille binaire Microsoft Office Excel
XLSHTML	document HTML Microsoft Office Excel
XLSM	feuille Microsoft Office 2007 Excel prenant en charge les macros
XLSMHTML	
XLSX	feuille Microsoft Office 2007 Excel
XLT	<i>Microsoft Office Excel template file</i> (modèle Microsoft Office Excel)
XLT	<i>Translation table (Lotus 1-2-3, Symphony, Procomm Plus)</i>
XLTHTML	modèle HTML Microsoft Office Excel
XLTM	modèle Microsoft Office 2007 Excel prenant en charge les macros
XLTX	<i>Microsoft Office Excel template</i> (modèle Microsoft Office Excel)
XLW	<i>Microsoft Excel Workbook</i> (espace de travail Microsoft Office Excel)
XLXML	<i>Microsoft Office Excel worksheet</i>
XM	<i>FastTracker II extended module</i>
XM	<i>MOD music format file</i>
XMI	<i>compressed eXtended MIDI music</i>
XMI	<i>Miles Sound System extended MIDI file</i>
XML	<i>eXtensible Markup Language file</i>
XML	<i>MusicXML sheet music</i>
XNF	<i>Standard Network File form</i>
XNP	
XP	<i>Fast Tracker pattern</i>
XPF	
XPL	<i>X-Setup plug-in</i>
XPM	<i>X11 Pixel Map graphics</i>
XPS	
XPT	
XQT	<i>SuperCalc Macro sheet</i>
XQT	<i>Waffle Executable file</i>
XRF	<i>Cross-reference file</i>
XRM-MS	<i>XrML digital license</i>
XSB	<i>X-Setup backup file</i>
XSL	<i>XSLT stylesheet file</i> (feuille de style)
XSN	
XT	<i>Fast Tracker track</i>
XTB	<i>LocoScript External translation table</i>
XUL	<i>Mozilla file</i>
XV	<i>Khoros Visualization image file</i>
XVID	<i>Video file</i> (fichier vidéo)
XWD	<i>SDSC Image Tool X Window System window dump image graphics</i>
XWK	<i>Crosstalk Keyboard mapping</i>
XWP	<i>Crosstalk Session</i>
XWP	<i>Xerox Writer Text file</i>
XWZ	<i>X-Setup wizard</i>
XX	<i>compressed file ASCII archive created by XXENCODE</i>
XXE	<i>compressed file ASCII archive created by XXENCODE</i>
XY	<i>XY Write Text file</i>
XY3	<i>XYWrite III Text file</i>
XYW	<i>XYWrite III Text file</i>
Y	<i>compressed Amiga file archive created by YABBA</i>
Y	<i>Yacc grammar file</i>
Y01...09	<i>Paradox Secondary index</i>
YADPCM	<i>Raw Yamaha 4-bit ADPCM format data</i>

Extensions

YAL	<i>Arts & Letters Data</i>
YUV	<i>Yuv graphics</i>
YZ	<i>compressed file archive created by YAC</i>
YZ1	<i>archive</i>
Z	<i>compressed file archive created by PACK (Unix SysV pack)</i>
Z	<i>compressed file ASCII archive created by COMPRESS</i>
Z3	<i>Infocom game module</i>
ZBR	<i>Zebra Metafile Preview</i>
ZDCT	
ZDG	<i>Zview compressed ZiffNet text document</i>
ZER	<i>Zerberus Data file</i>
ZGM	<i>Zenographics Graphics</i>
ZIP	<i>compressed file archive created by PKZIP (fichier archive compressé)</i>
ZMF	<i>Zoner Draw document</i>
ZOM	<i>compressed Amiga file archive created by ZOOM</i>
ZON	<i>gabarit de zones OmniPage</i>
ZOO	<i>compressed file archive created by ZOO (fichier archive compressé)</i>
ZSK	<i>ZipGenius Sidebar Skin</i>
ZT6	<i>ZipGenius 6 Toolbar Skin</i>
ZVD	<i>Z-Fax Zyxel Voicefile</i>
~\$~	<i>1st Reader temporary file</i>
~AP	<i>Borland C++ 4.5 Old AppExpert project database</i>
~DE	<i>Borland C++ 4.5 Project backup</i>
~MN	<i>Norton Commander Menu backup</i>

© 2012 Regnat